

Welcome to Meridian Products

Thank you for choosing Meridian Products. We appreciate the opportunity to provide products and services that bring lasting value to your business. This is a responsibility we take seriously, and we remain committed to continually improving ourselves and the work we do on your behalf.

This manual—along with our website, www.meridianproduct.com—serves as a guide to the products we manufacture and the services we provide. We encourage you to review this information carefully. A clear understanding of our offerings will help ensure a smooth partnership and an exceptional experience moving forward.

All Meridian products are custom built to your specifications. To help us deliver the best results, please provide complete and accurate information with each order. If you cannot find a specific product in this manual or on our website, please contact your Meridian Sales Member or Customer Support Representative. In most cases, we will be able to meet your needs through custom solutions.

If you have any questions or need additional assistance, your Sales Member or Customer Support Representative will be happy to help. Their contact information can be found in Section 1 of this manual.

We look forward to building a strong, lasting partnership with you.

Sincerely,



J Michael Hurst
Chief Executive Officer



CONTACT INFORMATION

Sales & Marketing Manager: Terry Mohler

Customer Service Supervisor: Lesa Lefever

Sales and Customer Service Teams & Territories

Sales Force: Carl Devine

CSR Member: Nicole Samartina

Territories:

Delaware

North Eastern PA

Northern New Jersey (Trenton to Perth Amboy North)

Sales Force: Joe Garner

CSR Member: Katie VanBlargan

Territories:

Southern New Jersey (Trenton to Perth Amboy South)

South Eastern PA

Sales Force: Scott Ackley

CSR Member: Tara Crouthamel

Territories:

Connecticut

Massachusetts

New York

Rhode Island

Vermont

Sales Force: Patrick Hamill

CSR Member: Lou Ann Gonzalez

Territories:

Maryland

Florida

Virginia

Western PA

Accounting Manager: Max Mink

Accounting Team: Danielle Bentley

Send Invoice Payments To:

Meridian Products

PO Box 416

Blue Ball, PA 17506

Meridian Products Contact

Information: Call or Fax:

Toll Free Phone: 888-423-2804

Operator Phone: 717-355-7700

Fax: 888-355-7361

Mailing Address:

124 Earland Drive

New Holland, PA 17557

General Inquiries:

Sales@meridianproduct.com

Order Submission:

Orders@meridianproduct.com

Submit Orders Online:

www.meridianproduct.com

- Click Customer Portal
- Click Submit Online Here

| | |
|------------------------------------------------|----|
| SALES, CSR, ACCOUNTING | 1 |
| GENERAL INFORMATION | 2 |
| MATERIAL GRADES | 3 |
| WARRANTY & AGREEMENTS | 4 |
| TERMINOLOGY | 5 |
| WOOD PRICING & PRICING MATRIX | 6 |
| PROFILES (RAISE, EDGE & BEAD) | 7 |
| MORTISE & TENON DOORS | 8 |
| MDRF DOORS & DRAWER FRONTS | 9 |
| MORTISE & TENON NOTCHED DESIGNS | 10 |
| MITERED DOORS | 11 |
| APPLIED MOLDING DOORS | 12 |
| EVOLUTION | 13 |
| SKINNY SHAKER, EDGE BANDING, SLABS | 14 |
| MULLION & SPECIALTY DOORS | 15 |
| DOOR & DRAWER OPTIONS | 16 |
| FINISHING | 17 |
| DRAWER BOXES, STORAGE & FLOATING SHELVES | 18 |
| FRONT FRAMES | 19 |
| MOLDING, TURNINGS & CORBELS | 20 |
| SPECIALTY PRODUCTS | 21 |
| SALES TOOLS | 22 |
| NON-PUBLISHED DESIGNS | 23 |

PROFILES (RAISE, EDGE & BEAD)

3/4" DOOR RAISED PANEL OPTIONS

1/2" C *



3/8" Rev G *



3/8 U COVE *




3/8" SQUARE *



5/8" MODIFIED W



A COVE *



C




D PANEL *



ES SLANT *



ET *



EURO SLANT *



G COVE *



GEO BEAD *



H PANEL *



J COVE *



LN BEAD



M- BEAD *



M100 *



MODIFIED 318 *



MODIFIED J COVE *



P RAISE *



PD *



RF *



S COVE *



SLANT *



SMALL M-BEAD *



SMALL SLANT *



U COVE *




Drawings proportional, for visual concept only - not to be scaled.

At the present time, we have carbide cutters for MDF Panels for the profiles marked with (*)
 All other profiles are not available in MDF at this time.

3/4" DOOR RAISED PANEL OPTIONS

1/2" Y *



3/8" MODIFIED 45 *



3/8" REVERSE 45 DEGREE *



318 *



5/8" C



9/16" SIM



HO *



I PNL *



JW



LI



MODIFIED EURO SLANT *




MODIFIED H PNL *



MODIFIED RM *



POTOMAC



Q



RM *




SMALL JW




STEP *




SW



T COVE



V *




WB



WM *



X COVE *


Drawings proportional, for visual concept only - not to be scaled.


At the present time, we have carbide cutters for MDF Panels for the profiles marked with (*)

All other profiles are not available in MDF at this time.

3/4" DOOR RAISED PANEL OPTIONS (3/4" THICK)- adds cost

- NOT AVAILABLE ON ANY ARCH DOOR

1/2" COVE U COVE *



B PANEL *



COVE A COVE *



COVE D PANEL *



COVE ES SLANT *



COVE EURO SLANT *



COVE G COVE *



COVE M BEAD *



COVE RF *



COVE RM *



COVE SLANT *


1" DOOR RAISED PANEL OPTIONS (3/4" THICK)

0161 RAISE



1/2" REVERSE G *



3/4" A COVE




3/4" EURO SLANT *




3/4" F BEAD



3/4" L BEAD



3/4" M BEAD *



3/4" K *




3/4" SLANT *



AP



HMB



W RAISE



Z *




Drawings proportional, for visual concept only - not to be scaled.

At the present time, we have carbide cutters for MDF Panels for the profiles marked with (*)

All other profiles are not available in MDF at this time.

3/4" DOOR EDGE OPTIONS

7

 PROFILES
 (RAISE, EDGE
 & BEAD)


FACE & BACK -adds cost

1" DOOR EDGE PROFILE OPTIONS


AL2



C2



CH2




COLONIAL



E2



EURO



F2



GR2




H2




J2




M4M




M5 *




ME



MER



PR2



ADDS COST

R3



7

 PROFILES
 (RAISE, EDGE
 & BEAD)

Profiles marked with () have back bevels and they will have a smaller framing width on back of door.
 Please review your hinge specifications.*

3/4" FRAME PROFILE OPTIONS

BRIDGEPORT



EXECUTIVE



SQUARE



30° BEVEL



GEORGETOWN



TWIN



COLONIAL



OGEE



★ PVO




ELITE



SHAPE 2



★ 290 COPE

1" FRAME PROFILE OPTIONS

CLASSIC



1" OGEE



1" 30° BEVEL 1/2" SETBACK



1" COLONIAL



9/16" WIDE OGEE



1" 30° BEVEL 3/8" SETBACK



ELITE ♦



SHAPE 2A



EXECUTIVE ♦



1" SQUARE



3/4" profiles can be used on 1" products
Must State: Profile Name & 3/8" set back
Georgetown- is the only profile that is
 not available in 1"

DRAWINGS PROPORTIONAL, FOR VISUAL CONCEPT ONLY - NOT TO BE SCALED.

♦ OFFSET BEAD - SEE PAGE 5.6 FOR DETAILS.

| | |
|------------------------------------------------|----|
| SALES, CSR, ACCOUNTING | 1 |
| GENERAL INFORMATION | 2 |
| MATERIAL GRADES | 3 |
| WARRANTY & AGREEMENTS | 4 |
| TERMINOLOGY | 5 |
| WOOD PRICING & PRICING MATRIX | 6 |
| PROFILES (RAISE, EDGE & BEAD) | 7 |
| MORTISE & TENON DOORS | 8 |
| MDRF DOORS & DRAWER FRONTS | 9 |
| MORTISE & TENON NOTCHED DESIGNS | 10 |
| MITERED DOORS | 11 |
| APPLIED MOLDING DOORS | 12 |
| EVOLUTION | 13 |
| SKINNY SHAKER, EDGE BANDING, SLABS | 14 |
| MULLION & SPECIALTY DOORS | 15 |
| DOOR & DRAWER OPTIONS | 16 |
| FINISHING | 17 |
| DRAWER BOXES, STORAGE & FLOATING SHELVES | 18 |
| FRONT FRAMES | 19 |
| MOLDING, TURNINGS & CORBELS | 20 |
| SPECIALTY PRODUCTS | 21 |
| SALES TOOLS | 22 |
| NON-PUBLISHED DESIGNS | 23 |


MORTISE & TENON

Helpful Tips:

- 7/8" thickness is an option- thickness is added to the back of the door.
- FP doors can be made with a solid MDF panel.
- Standard mid-rails on double panel doors are 2-1/2"

| | |
|----------------|------|
| MRP-10 | 8.4 |
| MRP-12 | 8.4 |
| MRP-14 | 8.5 |
| MRP-16 | 8.5 |
| MRP-20 | 8.6 |
| MRP-30 | 8.6 |
| MRP-90 | 8.6 |
| MRP-0167 | 8.7 |
| MRP-0112 | 8.8 |
| MRP-0171 | 8.8 |
| MRP-0175 | 8.8 |
| MRP-0190 | 8.9 |
| MRP-0232 | 8.10 |
| MRP-0236 | 8.10 |
| MRP-4545 | 8.11 |
| FP-0149 | 8.12 |
| FP-1097..... | 8.12 |
| FP-12 | 8.13 |
| FP-14 | 8.13 |


- All products in this section are produced with a single panel up to the size of 26" wide and or 48" high.
- Any items ordered as 26-1/16" wide and or 48-1/16" high will be produced with multiple panels unless specified.
- Bottom panels will be square panels unless otherwise specified by the customer.
- Single panel items over 26" wide or 48" high will not be warrantied for any expansion or contraction issues.


MRP-10 DF

Thickness options: 3/4" or 1"

Horizontal grain is standard

Standard framing: 2-1/4" stiles, 1-1/2" rails

Choose: Frame, Edge, and Panel Profile

MRP-10

Thickness options: 3/4" or

1" Standard framing: 2-1/4"


Frame only available: Yes

Mullions available: Yes

Radius available: Yes


Choose: Frame, Edge, and Panel Profile
FP-10

1/4" veneer panel on doors



3/8" veneer panel on drawers


*Picture shown with Shape 2 Bead & Slant Raise. All profiles are available.


MRP-12 DF

Thickness options: 3/4" or 1"

Horizontal grain is standard

Standard framing: 2-1/4"


MRP-12

Thickness options: 3/4" or 1"


Standard framing: 2-1/4"


Frame only available: Yes

Mullions available: Yes

Radius available: Yes

Chamfer goes through joint at stiles and rails

Choose: Panel Profile and Edge Profile: (M12, ME, M5, or Sq. w/rabbet only)




MRP-14 DF

Thickness options: 3/4" or 1"

Horizontal grain is standard

Standard framing: 2-1/4"

5/8" square panel is standard- *any other use MRP-10*


MRP-14

Thickness options: 3/4" or 1"

Standard framing: 2-1/4"

3/8" Rev. G Cove panel is standard -*any other panel use MRP-10*

- 1/8" panel setback from face for 3/4" doors
- 1/4" panel setback from face for 1" doors


Mullions available: No

Frame only: Yes-*adds cost*

Radius available: No

Choose: Edge Profile

8

 MORTISE
 & TENON
 DOORS

MRP-16 DF

Thickness options: 3/4" or 1"

Horizontal grain is standard

Standard framing: 3" Stiles, 2-1/4" Rails


MRP-16

Thickness options: 3/4" or 1"

Standard framing: 3" **Square Bead Only*

- *If different use MRP-10 with 3" framing note*


Frame only available: Yes

Mullions available: Yes

Radius available: Yes


3/8" Rev. G Cove panel is standard

Choose: Edge Profile


FP-16

Thickness options: 3/4" or 1"

Standard framing: 3" **Square Bead Only*


MRP-20*

Thickness options: 3/4" or 1"


- Standard framing: 2-1/4"
- Top rail, outside width, is 3-15/16"

Frame only available: Yes

Mullions available: Yes

Radius available: Yes


Choose: Frame, Edge, and Panel Profile


FP-20

Thickness options: 3/4" or 1"

- Standard framing: 2-1/4"
- Top rail, outside width, is 3-15/16"

**Pictured to the right: if double panel Meridian standard is MRP-20 over MRP-10, note if different*


MRP-30*

Thickness options: 3/4" or 1"

- Standard framing: 2-1/4"
- Top rail, outside width, is 3-3/8"

Frame only available: Yes

Mullions available: Yes


Radius available: Yes

Choose: Frame, Edge, and Panel Profile

FP-30

- Standard framing: 2-1/4"
- Top rail, outside width, is 3-3/8"

**If double panel Meridian standard is MRP-30 over MRP-10, note if different*


MRP-90*

Thickness options: 3/4" or 1"

- Standard framing: 2-1/4"
- Top rail, outside width, is 5-7/8"

Frame only available: Yes

Mullions available: Yes


Radius available: Yes

Choose: Frame, Edge, and Panel Profile

FP-90

- Standard framing: 2-1/4"
- Top rail, outside width, is 5-7/8"


**If double panel Meridian standard is MRP-90 over MRP-10, note if different*


MRP-0167 DF

Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 3" stiles, 2-1/4" rails


MRP-0167

Thickness options: 3/4"

Standard framing: 3"


- Rails have design specific profiles

- Stiles have square profile

Frame only available: Yes

Mullions available: No

Radius available: No

Choose: Edge, Panel Profile, and Top & Bottom Rails

3/4" OR 1" FRAME PROFILE OPTIONS

0173 (W BEAD)



0176




Y BEAD




STEP



1" STEP BEAD



ALL PROFILES ON PAGE 7.8 ALSO AVAILABLE


MRP-0112 DF

Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 2-1/4"


MRP-0112

Thickness options: 3/4"


Standard framing: 2-1/4"

Frame only available: Yes

Mullions available: Yes

Radius available: Yes


**Round over goes through joint at stiles and rails

Choose: Edge Profile: (ME, M5, or Sq. w/rabbet only)

MRP-0171 DF

Thickness options: 3/4" or 1"

Horizontal grain is standard

Standard framing: 2-3/4" Stiles & 2-1/4" Rails


MRP-0171

Thickness options: 3/4" or 1"

Standard framing: 2-3/4"

Frame only available: Yes

Mullions available: MDF Grid


Radius available: No

Choose: Edge and Panel Profile


FP-0112

Thickness: 3/4" or 1"

Standard framing: 2-3/4"



**image shows a 30 degree bevel with a 1/4" setback



MRP-0175 DF

Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 3"

1/2" square panel is standard


MRP-0175

Thickness options: 3/4"

Standard framing: 3"

3/8" Rev. G Cove is standard

- 3/16" panel set back from face



Mullions available: No

Frame only: Yes

Radius available: No

Chamfer goes through joint at stiles and rails


Choose: Edge Profile: (M12, ME, M5, or Sq. w/rabbet only)


MRP-0190 DF

Thickness options: 1"

Horizontal grain is standard

Standard framing: 2-3/8"


MRP-0190

Thickness options: 1"


Standard framing: 2-3/8"

Frame only available: Yes


Mullions available: No

Radius available: No

Choose: Edge and Panel Profile




** If you would like this door in 3/4" your door match is
 MRP-375 with a 3/8" x 3/16" step*


MRP-0232 DF

Thickness options: 1"

Horizontal grain is standard

Standard framing: 2-5/8" stiles, 2-1/4" rails


MRP-0232


Thickness options: 1"

Standard framing: 2-5/8"


Mullions available: Yes - use R-bead

mullions Frame only: Yes


Radius available: No

Choose: Edge and Panel Profile


♦ Off set Bead - see page 5.6 R Bead


MRP-0236 DF

Thickness options: 3/4"

 Horizontal grain is standard Standard
 framing: 2-1/4"

MRP-0236


Thickness options: 3/4"

Standard framing: 2-1/4"


 Frame only available: Yes - **adds cost**

Mullions available: No

Radius available: No

Choose: Edge and Panel profile


♦ Off Set Bead - see page 5.6 D Bead



★ MRP-4545

Thickness options: 3/4" or 1"

Standard framing: 2-1/4"


Frame only available: Yes

Mullions available: Yes

Radius available: No

Framing options: Shape 2 or Square only

Choose: Edge and Panel profile



FP-0149 DF

Thickness options: 3/4" or 1"

Horizontal grain is standard Standard

framing: 2-1/4"

3/8" Veneer Panel is standard


FP-0149

Thickness options: 3/4" or 1"

Standard framing: 2 -1/4"

 Frame only available: No: *use MRP-10*



 Mullions available: No: *use MRP-10*

Radius available: No

3/8" Veneer Panel is standard

Choose: Edge and Frame Profile

8

 MORTISE
& TENON
DOORS

FP-1097 DF


Thickness options: 3/4" or 1"

Horizontal grain is standard

Standard framing: 2-1/4" on back, 1-3/4" reveal on face

3/8 Veneer Panel is Standard

- 1/8" setback is standard
- 1/4" setback available *must specify


FP-1097

Thickness options: 3/4" or 1"


Standard framing: 2-1/4" on back, 1-3/4" reveal on face


Frame only available: No

Mullions available: No

3/8" Veneer Panel is standard

- 1/8" setback standard
- 1/4" setback available *must specify

Choose: Edge Profile

**shown as 1/8" standard*



FP-12 DF

Thickness options: 3/4" or 1"

Horizontal grain is standard

Standard framing: 2-1/4" 3/8"

Veneer Panel is standard



8

 MORTISE
& TENON
DOORS

FP-12

Thickness options: 3/4" or 1"

Standard framing: 2-1/4"

1/4" Veneer Panel is standard

- Available in single panel opening only


Frame only available: No - *use MRP-12*

Mullions available: No - *use MRP-12*

Radius available: No - *use MRP-12*

Chamfer goes through joint at stiles and rails.

Choose: Edge Profile



FP-14 DF

Thickness options: 3/4" or 1"

Horizontal grain is standard

Standard framing: 2-1/4"

3/8" Veneer Panel is standard


FP-14

Thickness options: 3/4" or 1"

Standard framing: 2-1/4"

- 1/8" Panel setback for 3/4" doors
- 1/4" Panel setback for 1" door


3/8" Veneer Panel is standard

Frame only available: No - *use MRP-10*

Mullions available: No - *use MRP-10*

Radius available: No - *use MRP-10*

Choose: Edge Profile



| | |
|------------------------------------------------|----|
| SALES, CSR, ACCOUNTING | 1 |
| GENERAL INFORMATION | 2 |
| MATERIAL GRADES | 3 |
| WARRANTY & AGREEMENTS | 4 |
| TERMINOLOGY | 5 |
| WOOD PRICING & PRICING MATRIX | 6 |
| PROFILES (RAISE, EDGE & BEAD) | 7 |
| MORTISE & TENON DOORS | 8 |
| MDRF DOORS & DRAWER FRONTS | 9 |
| MORTISE & TENON NOTCHED DESIGNS | 10 |
| MITERED DOORS | 11 |
| APPLIED MOLDING DOORS | 12 |
| EVOLUTION | 13 |
| SKINNY SHAKER, EDGE BANDING, SLABS | 14 |
| MULLION & SPECIALTY DOORS | 15 |
| DOOR & DRAWER OPTIONS | 16 |
| FINISHING | 17 |
| DRAWER BOXES, STORAGE & FLOATING SHELVES | 18 |
| FRONT FRAMES | 19 |
| MOLDING, TURNINGS & CORBELS | 20 |
| SPECIALTY PRODUCTS | 21 |
| SALES TOOLS | 22 |
| NON-PUBLISHED DESIGNS | 23 |

MDRF DOORS & DRAWER FRONTS

Helpful Hints:

If you require square inside corners it needs to be requested for the following framing profiles with *an added cost*, please select the option of hand chiseled corners.

- Square
- W Step
- 1/16" Chamfer
- 3/16" Step
- 1/8" Step
- 3/8" Step x 1/4" Setback
- 3/8" Step x 3/8" Setback
- 5/8" Step
- 5/8" Step Frame Only
- 0216 Inlaid
- Square Inlaid x 5/8" Setback
- H Step
- 0222
- M036
- 1/2" Step
- 0294
- 1/8" Step x 3/16" Setback
- 0260
- 1" L Step Inlaid
- 1" K Step Inlaid
- 1/4" Step
- 1/4" Step Frame Only
- HSD Step x 1/4" Setback
- HSD Step x 3/8" Setback
- IDST
- 1" Square
- 0190
- 0264
- 1" Step
- 3/4" Step x 1/4" Setback
- 3/4" Step x 3/8" Setback
- 1-1/2" Step x 3/8" Setback
- 3/8" x 3/16" Step
- 1/4" x 1/4" Step x 5/8" Setback
- 1/8" Step x 1/4" Setback
- Y Bead
- 0278
- 1" Step Shape 2 Inlaid
- 0176
- 1-3/4" Step x 1/2" setback
- 0279
- 0280
- 1/2" x 1/2" Step
- 0280 w/ 9/16" Setback
- HM Step
- 1/4" x 1/4" Step
- QCC Step
- 0288
- 1/4" x 3/16" Step
- 3/16" Step x 1/4" Setback
- 17/32" x 7/32" Step
- 1" Step w/ 1/2" Setback

| | | | |
|---------------------------------------------|------|-------------------------------------------|----------|
| 3/4" BEAD PROFILE (FRAMING) OPTIONS..... | 9.4 | MDRF9540..... | 9.12 |
| 1" BEAD PROFILE OPTIONS & RAISE OPTIONS.... | 9.5 | MDRF9838 | 9.13 |
| EDGE PROFILE OPTIONS..... | 9.6 | MDRF SLAB DF..... | 9.13 |
| BACK ROUT & CHISELED CORNER OPTIONS..... | 9.7 | MDRF SLAB DOOR..... | 9.13 |
| MDRF10 & MDRF10 DRAWER FRONT..... | 9.8 | MDRF20..... | 9.14 |
| MDRF10 INLAID PANEL..... | 9.8 | NUMBER 10 DE..... | 9.14 |
| MDRF10 FRAME ONLY..... | 9.8 | NUMBER 20 DE..... | 9.14 |
| MDRF12..... | 9.9 | <u>FIVE PIECE MDRF MITER DOORS</u> | 9 |
| MDRF0171..... | 9.9 | MDRF-0185..... | 9.15 |
| MDRF0237..... | 9.10 | MDRF-0271..... | 9.15 |
| MDRF018..... | 9.10 | MDRF-9613..... | 9.16 |
| MDRF028..... | 9.11 | MDRF-9617..... | 9.16 |
| MDRF050..... | 9.11 | MDRF SPECIAL MULLIONS..... | 9.17 |
| MDRF100..... | 9.12 | MDRF SPECIAL MULLIONS..... | 9.18 |

- All products in this section are produced with a single panel up to the size of 26" wide and or 48" high.
- Any items ordered as 26-1/16" wide and or 48-1/16" high will be produced with multiple panels unless specified.
- Bottom panels will be square panels unless otherwise specified by the customer.
- Single panel items over 26" wide or 48" high will not be warrantied for any expansion or contraction issues.

3/4" MDRF INSIDE BEAD PROFILE (FRAMING) OPTIONS

1/16" CHAMFER



1/2" STEP




1/4" COVE



1/4" STEP



1/8" RADIUS*

added cost


1/8" STEP



3/16" STEP



3/8" X 3/16" STEP


9

 MDRF DOORS
 & DRAWER
 FRONTS

3/8" STEP 3/8" SETBACK



3/8" STEP 1/4" SETBACK



30 DEGREE BEVEL




45 DEGREE BEVEL



5/8" COVE



5/8" STEP



BRIDGEPORT




COLONIAL




ELITE



OGEE



Q*



SHAPE-2



SQUARE




V-BEAD*




Y BEAD



EXECUTIVE



0260



0293




0191


PROFILES NOTED WITH (*) CANNOT HAVE HAND CHISELED, SQUARE CORNERS.
See page 9.2 for profiles that need you to request hand chiseled

1" MDRF INSIDE BEAD PROFILE (FRAMING) OPTIONS


0181



1" 0261



1" CMB



1" COLONIAL



1" OGEE




1" W BEAD



1" SQUARE



R-BEAD


3/4" MDRF PANEL PROFILE OPTIONS

1/8" STEP PANEL




45 DEGREE PANEL




5/8" C-RAISE





FLAT





G-COVE




H PANEL


 M-BEAD-*adds cost*


S-COVE


 SLANT-*adds cost*


VB PANEL



1" MDRF PANEL PROFILE OPTIONS

 FLAT-*added cost*



1" M-BEAD



S-COVE




MDRF EDGE PROFILE OPTIONS

 0258- *adds cost/ piece*


B2



C2




CH2



CHR




COLONIAL



CSK




H2



9

 MDRF DOORS
 & DRAWER
 FRONTS

J2




KL2



M12 FACE ONLY



M2


 M4M- *adds cost/piece*


ME



MER



PR2



R2




R3



SM



ST




ST COVE



V2



Y2


 1/16" RADIUS- *face only*

RE-PROFILED 2 step process *adds cost/piece*

E2




F2



M5




OM








OPTIONS

 COVE BACK, *adds cost / PANEL*

This option is cut: 3/32" DEEP ON 3/4" DOORS, 5/32" DEEP ON 1" DOORS




 1/8" BORDER ON PANEL BACK, *adds cost / PANEL (ANY PROFILE)*

This option is cut: 3/32" DEEP ON 3/4" DOORS, 5/32" DEEP ON 1" DOORS


 RECESS BACK OF DOOR, *adds cost / PANEL* - NOT AVAILABLE WITH FLAT PANEL
 This option is cut: 3/32" DEEP ON 3/4" DOORS, 5/32" DEEP ON 1" DOORS

 DENTIL BEAD, *adds cost / SQ. FT.* - SLAB ONLY

 PANEL BEAD, *adds cost / SQ. FT.*

 HINGE STRIP, *adds cost / edge*

CHISELED CORNERS
Added cost PER PANEL

- MDRF doors inside bead options are produced standard with a .0625 radius corner.
- Meridian Products offers chiseled corners to provide a product with a 90 degree true square.

Please ask for chiseled corners if required.
See page 9.2 for doors that require you to list it.


MDRF-10 DRAWER FRONT

Thickness options: 3/4" or 1"

Standard framing: 2-1/4" stiles, 1-1/2" rails


Choose: Frame, Edge and Panel Profile
MDRF-10

Thickness options: 3/4" or 1"

Standard framing: 2-1/4"

 Frame only available: Yes - *Added cost*

Mullions available: Yes

Choose: Frame, Edge and Panel Profile

MDRF10 INLAID PANEL (FLAT PANEL ONLY)

Thickness options: 3/4" or 1"



 Standard framing: *See selected door style*

Frame only available: No

Mullions available: No

Radius available: No

- Inlaid Panel is a design alternative for flat panel doors
- This design offers more stability than a routed flat panel


MDRF-10 FRAME ONLY

Thickness options: 3/4" or 1"

Standard framing: 2-1/4"


 Equal Lites Option: *added cost per Lite*

 Non Equal Lites Option: *added cost per Lite*
Choose: Frame, Edge and Panel Profile

Frame Only:

- includes retainer groove
- vinyl glass retainer molding


 Mullion and frame profile *must match* to get MDF mullions.



MDRF-12 DF

Thickness options: 3/4" or 1"

Standard framing: 2-1/4 "



MDRF-12

Thickness options: 3/4" or 1" Standard

framing: 2-1/4"

Frame only available: Yes - *adds cost*


Mullions available: Yes

Chamfer runs through rails.

Choose: Edge and Panel Profile

9

MDRF DOORS
& DRAWER
FRONTS




MDRF-0171 DF

Inlaid: *adds cost*

Thickness options: 3/4" or 1"

Standard framing: 2-3/4" on face



MDRF-0171

Inlaid: *adds cost*

Thickness options: 3/4" or 1"


Standard framing: 2-3/4" on face

Frame only available: Yes - *adds cost*

Mullions available: Yes

Choose: Edge and Panel Profile






MDRF-0237 DF

Inlaid: *adds cost*

Thickness options: 3/4" or 1"

Standard framing: 2-1/4" stiles, 1-1/4" rails - includes bead



MDRF-0237

Inlaid: *adds cost*

Thickness options: 3/4" or 1"


Standardframing: 2-1/4" - includes bead

Frame only available: Yes -*adds cost*

Choose: Edge and Panel Profile

9

MDRF DOORS
& DRAWER
FRONTS




MDRF-018DF

Inlaid: *adds cost*

Thickness options: 3/4" or 1"

Standard framing: 2-1/4" stiles, 1-1/4" rails- *Bead Profile affects face reveal*



MDRF-018

Inlaid: *adds cost*


Thickness options: 3/4" or 1"


Standardframing: 2-1/4"- *Bead profile affects face reveal*

Frame only available: Yes -*added cost*

Mullions available: Yes

Choose: Frame, Edge, and Panel Profile






MDRF-028 DF

Inlaid: *adds cost*

Thickness options: 3/4" or 1"

Standard framing: 3" stiles, 2-1/4" rails



MDRF-028

Inlaid: *adds cost*

Thickness options: 3/4"

Standard framing: 3", 2-1/16" reveal on face

Frame only available: Yes - *added cost*

Mullions available: Yes

Choose: Edge and Panel Profile

9


MDRF DOORS
& DRAWER
FRONTS

MDRF-050 DF

Inlaid: *adds cost*

Thickness options: 3/4"

Standard framing: 2-1/4"



MDRF-050


Inlaid: *adds cost*


Thickness options: 3/4"

Standard framing: 2-1/4"

Frame only available: Yes - *added cost*

Mullions available: No






MDRF-100 DF

Inlaid: *adds cost*

Thickness options: 3/4" or 1"

Standard framing: 3" stiles, 2-1/4" rails



MDRF-100

Inlaid: *adds cost*

Thickness options: 3/4" or 1"



Standard framing: 3"

Frame only: yes

Mullions: yes

Panel options: 1/2" C or Flat panel only

Choose: Edge and Panel Profile




MDRF-9540 DF

Inlaid: *adds cost*

Thickness options: 3/4" or 1"

Standard framing: 2-1/4"



MDRF-9540

Inlaid: *adds cost*


Thickness options: 3/4" or 1"


Standard framing: 2-1/4"

Frame only available: Yes -*added cost*

Mullions available: Yes

Choose: Edge and Panel Profile






MDRF-9838 DF

Inlaid: *adds cost*

Thickness options: 3/4" or 1"

Standard framing: 2-1/4" stiles, 1-1/4" rails



MDRF-9838

Inlaid: *adds cost*


Thickness options: 3/4" or 1"

Standard framing: 2- 1/4"

Frame only available: Yes - *added cost*


Mullions available: Yes

Choose: Edge and Panel Profile



9

MDRF DOORS
& DRAWER
FRONTS



MDRF-SLAB DF

Thickness options: 3/4" or 1"

Maximum size: 10" x 36"

Choose: Edge Profile




MDRF-SLAB DOOR

Thickness options: 3/4" or 1"

No Battens

Choose: Edge Profile



MDRF-20

Inlaid: *adds cost*

Thickness options: 3/4" or 1"




Standard framing: 2-1/4"

Frame only available: Yes - *added cost*

Mullions available: Yes

Choose: Frame, Edge and Panel Profile



- 6-1/2" minimum if using M-Bead or Slant
- Pictured to the right: If double panel, bottom panel is automatically an MDRF-10, unless noted.



NUMBER 10-DF

Thickness options: 3/4" or 1"


Choose: Edge Profile



NUMBER 20-DF

Thickness options: 3/4" or 1"

Choose: Edge Profile



MDRF-0185 DF

Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 1-13/16"

Drawer Front also available w/raised panels


MDRF-0185 RP

Thickness options: 3/4"


Standard framing: 3"

- Available in single panel/opening only.

Frame only available: Yes

Mullions available: Yes


Radius available: No

Choose: Panel Profile

MDRF-0271 DF

Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 2-1/2"


MDRF-0271

Thickness options: 3/4"


Standard framing: 2-1/2"


- Available in single panel/opening only.

 Frame only available: Yes - *adds cost*


Mullions available: No

Radius available: No

Choose: Panel Profile




9

 MDRF DOORS
 & DRAWER
 FRONTS

MDRF-9613 DF

Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 1-3/4"

MDRF-9613

Thickness options: 3/4"



Standard framing: 2-7/8"

- Available in single panel/opening only

Frame only available: Yes - *adds cost*

Mullions available: No

Radius available: No


Choose: Panel Profile

MDRF-9617 DF

Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 2"

Drawer Front also available w/raised panels


MDRF-9617 RP

Thickness options: 3/4"



Standard framing: 2-7/8"

- Available in single panel/opening only.

Frame only available: Yes

Mullions available: Yes

Radius available: No

Choose: Panel Profile


MDRF SPECIALTY MULLION DESIGNS

Pricing of MDRF specialty mullion designs consist of three items plus any options:

Example:

1. Door Design Charge
2. Door Engineering charges: *See Below*
3. Total square foot material charge: *See Page 6.3*
4. Add any options: Hinge bore, finishing, chiseled corners, etc.

Engineering Charges:

The following has an *added* charge:


- Renaissance

The following have an *added* charge:


- 7 Lite Gothic Top & Bottom
- 7 Lite Cathedral Top & Bottom
- Elliptical Offset
- Floral
- Chain

The following have a *added* charge:


- Split Oval w/ Circle
- Split Oval w/ Ellipse
- Modern Gothic
- Oval Drop
- Hour Glass
- MQCM 3000 Left / Right
- 7 Lite Gothic
- 7 Lite Cathedral
- Split Oval
- X-Offset
- X-Series
- Diamond




X-MULLION




SPLIT OVAL W/ CIRCLE




DIAMOND





SPLIT OVAL W/ ELLIPSE




SPLIT OVAL

MDRF SPECIALTY MULLION DESIGNS CONTINUED:



OVAL DROP


 ELLIPTICAL
 OFFSET
 54" MAX HEIGHT
 ON SOLID WOOD



RENAISSANCE



FLORAL




CHAIN




X - OFFSET


9

 MDRF DOORS
 & DRAWER
 FRONTS



MQCM3000 LEFT





MQCM3000 RIGHT





HOUR GLASS




X - SERIES


 7 LITE GOTHIC
 TOP & BOTTOM


7 LITE GOTHIC


 7 LITE
 CATHEDRAL
 TOP & BOTTOM


7 LITE CATHEDRAL



MODERN GOTHIC

| | |
|------------------------------------------------|----|
| SALES, CSR, ACCOUNTING | 1 |
| GENERAL INFORMATION | 2 |
| MATERIAL GRADES | 3 |
| WARRANTY & AGREEMENTS | 4 |
| TERMINOLOGY | 5 |
| WOOD PRICING & PRICING MATRIX | 6 |
| PROFILES (RAISE, EDGE & BEAD) | 7 |
| MORTISE & TENON DOORS | 8 |
| MDRF DOORS & DRAWER FRONTS | 9 |
| MORTISE & TENON NOTCHED DESIGNS | 10 |
| MITERED DOORS | 11 |
| APPLIED MOLDING DOORS | 12 |
| EVOLUTION | 13 |
| SKINNY SHAKER, EDGE BANDING, SLABS | 14 |
| MULLION & SPECIALTY DOORS | 15 |
| DOOR & DRAWER OPTIONS | 16 |
| FINISHING | 17 |
| DRAWER BOXES, STORAGE & FLOATING SHELVES | 18 |
| FRONT FRAMES | 19 |
| MOLDING, TURNINGS & CORBELS | 20 |
| SPECIALTY PRODUCTS | 21 |
| SALES TOOLS | 22 |
| NON-PUBLISHED DESIGNS | 23 |

MORTISE & TENON NOTCHED DESIGNS

10

MORTISE
& TENON
NOTCHED
DESIGNS

| | |
|---------------|------|
| MRP-250..... | 10.4 |
| MRP-375..... | 10.5 |
| MRP-5625..... | 10.6 |
| MRP-750 | 10.7 |
| MRP-1000..... | 10.8 |

- All products in this section are produced with a single panel up to the size of 26" wide and or 48" high.
- Any items ordered as 26-1/16" wide and or 48-1/16" high will be produced with multiple panels unless specified.
- Bottom panels will be square panels unless otherwise specified by the customer.
- Single panel items over 26" wide or 48" high will not be warrantied for any expansion or contraction issues.




MRP-250 DF

Thickness options: 3/4" & 1"

Horizontal grain standard

Standard framing: 2-1/4 "



MRP-250

Thickness options: 3/4" & 1"

Standard framing: 2-1/4"

Frame only available: Yes

Mullions available: See below

*Mullions Available

**SquareBead Mullion Only

FP Series Available: Yes

Choose: Frame, Edge and Panel Profile

10

MORTISE
& TENON
NOTCHED
DESIGNS

3/4" OR 1" FRAME PROFILE OPTIONS

0265



9501



9540*



9911



0112



3/16" STEP**



1/4" COVE**



1/4" X 1/4" STEP** 3/8" setback



1/8" STEP



1" ONLY FRAME PROFILES

L-STEP**



3/16 BEAD




1/4" X 1/4" STEP**



0141




1/2" or 3/8" setback available


MRP-375 DF

Thickness options: 3/4" & 1"

Horizontal grain standard

Standard framing: 2-1/4 "


MRP-375

Thickness options: 3/4" & 1"

Standard framing: 2- 1/4"

Frame only available: Yes

Mullions available: See below

*Mullions Available

**Square Bead Mullion Only

FP Series Available: Yes

Choose: Frame, Edge and Panel Profile
3/4" OR 1" FRAME PROFILE OPTIONS

M41*



0174



M9838* 3/8" SETBACK



0138



0176



0191



Q BEAD*



0244**



0266



3/8" X 3/16" STEP**



PVO




MD2 STEP


1" ONLY FRAME PROFILE OPTIONS

1" M9838* (9901)






MRP-5625 DF

Thickness options: 3/4" & 1"

Horizontal grain standard

Standard framing: 2-1/4"



MRP-5625

Thickness options: 3/4" & 1"

Standard framing: 2- 1/4"

Frame only available: Yes

Mullions available: See below

*Mullions Available

**Square Bead Mullion Only

FP Series Available: Yes

Choose: Frame, Edge and Panel Profile

3/4" OR 1" FRAME PROFILE OPTIONS

CHALET* (9601)



1/2 " COVE



M0269



STEP



0260



0173 (0178)**



YBEAD



9/16" COVE



0237



0227



M0228



0292



1" ONLY FRAME PROFILE OPTIONS

M0268



M0275




0248



MD3 STEP





MRP-750 DF

Thickness options: 3/4" & 1"

Horizontal grain standard

Standard Framing: 2- 5/8 "


MRP-750

Thickness options: 3/4" & 1"

Standard framing: 2-5/8"

Frame only available: Yes

Mullions available: See below

*Mullions Available

**Square Bead Mullion Only

FP Series Available: Yes

Choose: Frame, Edge and Panel Profile
3/4" OR 1" FRAME PROFILE OPTIONS

M9834



0195



0170



3/4" STEP 3/8" SETBACK**



0172*



5/8" COVE



M0230




0240


1" ONLY FRAME PROFILE OPTIONS

0263*




W-BEAD




OS



7/8" Z BEAD





MRP-1000 DF

Thickness options: 3/4" & 1"

Horizontal Grain

Standard Framing: 2-5/8"


MRP-1000

Thickness options: 3/4" & 1"

Standard framing: 2-5/8"

Frame Only available: Yes

Mullions available: See (*) below

FP Series available: Yes

Choose Frame, Edge, and Panel Profile

10

 MORTISE
& TENON
NOTCHED
DESIGNS

3/4" FRAME PROFILE OPTIONS

M30*



ARTISAN* 3/8" SETBACK



P-BEAD




1"W STEP 3/4" THICK




0243


1" ONLY FRAME PROFILE OPTIONS


0243




ARTISAN



TR BEAD



1" W STEP



| | |
|------------------------------------------------|----|
| SALES, CSR, ACCOUNTING | 1 |
| GENERAL INFORMATION | 2 |
| MATERIAL GRADES | 3 |
| WARRANTY & AGREEMENTS | 4 |
| TERMINOLOGY | 5 |
| WOOD PRICING & PRICING MATRIX | 6 |
| PROFILES (RAISE, EDGE & BEAD) | 7 |
| MORTISE & TENON DOORS | 8 |
| MDRF DOORS & DRAWER FRONTS | 9 |
| MORTISE & TENON NOTCHED DESIGNS | 10 |
| MITERED DOORS | 11 |
| APPLIED MOLDING DOORS | 12 |
| EVOLUTION | 13 |
| SKINNY SHAKER, EDGE BANDING, SLABS | 14 |
| MULLION & SPECIALTY DOORS | 15 |
| DOOR & DRAWER OPTIONS | 16 |
| FINISHING | 17 |
| DRAWER BOXES, STORAGE & FLOATING SHELVES | 18 |
| FRONT FRAMES | 19 |
| MOLDING, TURNINGS & CORBELS | 20 |
| SPECIALTY PRODUCTS | 21 |
| SALES TOOLS | 22 |
| NON-PUBLISHED DESIGNS | 23 |


MITERED DOORS

Helpful Tips:

- Inside Gaps can be expected
- ALWAYS equal framing all around
- Max framing is 3.5", and has a HIGH probability of open joints
- Not Recommended for Painting
- No Prefit Option

| | |
|-----------------|------|
| M400 MITER..... | 11.4 |
| M0183 RP..... | 11.4 |
| M40 RP..... | 11.5 |
| M41 RP..... | 11.5 |
| M45 RP..... | 11.6 |
| M52 RP..... | 11.6 |
| M9617 RP..... | 11.7 |
| M9620 RP..... | 11.7 |
| M9834 RP..... | 11.8 |

- All products in this section are produced with a single panel up to the size of 26" wide and or 48" high.
- Any items ordered as 26-1/16" wide and or 48-1/16" high will be produced with multiple panels unless specified.
- Bottom panels will be square panels unless otherwise specified by the customer.
- Single Panel items over 26" wide and or 48" high will not be warrantied for any expansion or contraction issues.


M400 MITER

Use 1" veneer material price

Standard thickness options: 1/2" veneer, 3/4", 7/8", or 1" framing.

 Thickness options: 3/4", 7/8", & 1", *must be noted*

Panel setback: .140" standard, 1" thick has a .25 set back. Vertical grain is standard



Framing width options:

- a) 1/2" face & 2 1/4" back: *minimum is 5-1/2" height & width*
- b) 3/4" face & 2 1/2" back: *minimum is 6" height & width*
- c) 1" face & 2 3/4" back: *minimum is 6-1/2" height & width*
- d) 1 1/4" face & 3" back: *minimum is 7" height & width*

Frame only: No

Mullions available: No

Radius available: No



M0183 DF

Thickness options: 1"

Horizontal grain is standard

Standard framing: 2"

- Available in single panel/opening only.


M0183 RP


Thickness options: 1"


Standard framing: 3-1/4"

Mullions available: No

Radius available: No

- Available in single panel/opening only


Choose: Edge and Panel Profile


**M40 DF**

Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 2-1/4"

**M40 RP**

Thickness options: 3/4"

Standard framing: 2-1/4"

Frame only available: Yes

Mullions available: Yes

Radius available: Yes

- Available as double panel: 2-1/2" mid-rails, *added cost*


Choose: Panel Profile

**M41 DF**

Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 2-1/4"

**M41 RP**

Thickness options: 3/4"

Standard framing: 2-1/4"



Frame only available: Yes


Mullions available: Yes

Radius available: Yes


- Available as double panel: 2-1/2" mid-rails, *added cost*

Choose: Edge and Panel Profile




**M45 DF**

Thickness options: 3/4" or 1"
Horizontal grain is standard
Standard framing: 2-5/8"

**M45 RP**

Thickness options: 3/4" or 1"
Standard framing: 2-5/8"
Frame only available: Yes
Mullions available: Yes
Radius available: Yes

- Available as double panel: 3 -5/8" mid-rails, *added cost*
Choose: Edge and Panel Profile



**M52 DF**


Thickness options: 3/4" or 1"
Horizontal grain is standard
Standard framing: 2-1/4"

M52 RP

Thickness options: 3/4" or 1"
Standard framing: 2-1/4"
Frame only available: Yes
Mullions available: Yes
Radius available: Yes
Mid Rail - SPP

Choose: Frame, Edge, and Panel Profile






M9617 DF

Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 2 "

- Drawer Front also available w/raised panels



M9617 RP

Thickness options: 3/4"

Standard framing: 2-7/8"



Frame only available: Yes

Mullions available: Yes

Radius available: No


- Available in single panel/opening only

Choose: Panel Profile



11

MITERED DOORS




M9620 DF

Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 1-3/4"

- Drawer Front also available w/raised panel



M9620 RP

Thickness options: 3/4"

Standard framing: 2-7/8"

Frame only available: Yes

Mullions available: Yes


Radius available: No

- Available in single panel/opening only

- Hinge bore: .421 only option

Choose: Panel Profile






M9834 DF

Thickness options: 3/4" or 1"

Horizontal grain is standard

Standard framing: 2-1/4"



M9834 RP

Thickness options: 3/4" or 1"

- 1" door with a 3/4" panel raise *will have raised panel protrude 1/8" from face.*

Standard framing: 2-1/4"


Available as double panel: 3" mid-rails, *adds cost*

Frame only Available: Yes

Mullions Available: Yes

Radius Available: No

Choose: Edge and Panel Profile



| | |
|------------------------------------------------|----|
| SALES, CSR, ACCOUNTING | 1 |
| GENERAL INFORMATION | 2 |
| MATERIAL GRADES | 3 |
| WARRANTY & AGREEMENTS | 4 |
| TERMINOLOGY | 5 |
| WOOD PRICING & PRICING MATRIX | 6 |
| PROFILES (RAISE, EDGE & BEAD) | 7 |
| MORTISE & TENON DOORS | 8 |
| MDRF DOORS & DRAWER FRONTS | 9 |
| MORTISE & TENON NOTCHED DESIGNS | 10 |
| MITERED DOORS | 11 |
| APPLIED MOLDING DOORS | 12 |
| EVOLUTION | 13 |
| SKINNY SHAKER, EDGE BANDING, SLABS | 14 |
| MULLION & SPECIALTY DOORS | 15 |
| DOOR & DRAWER OPTIONS | 16 |
| FINISHING | 17 |
| DRAWER BOXES, STORAGE & FLOATING SHELVES | 18 |
| FRONT FRAMES | 19 |
| MOLDING, TURNINGS & CORBELS | 20 |
| SPECIALTY PRODUCTS | 21 |
| SALES TOOLS | 22 |
| NON-PUBLISHED DESIGNS | 23 |

APPLIED MOLDING DOORS

Helpful Hints:



- 10-12 days lead added

12

APPLIED
MOLDING
DOORS

| | |
|---------------------------|-------|
| FP-10 M020..... | 12.4 |
| FP-10 M066..... | 12.5 |
| M9617 RP W/ROPE MLDG..... | 12.5 |
| MRP-10 M018..... | 12.6 |
| MRP-10 M028..... | 12.7 |
| MRP-10 M035..... | 12.8 |
| MRP-10 M036..... | 12.9 |
| MRP-10 M050..... | 12.10 |
| MRP-10 M100..... | 12.11 |
| MRP-9750..... | 12.12 |

- All products in this section are produced with a single panel up to the size of 26" wide and or 48" high.
- Any items ordered as 26-1/16" wide and or 48-1/16" high will be produced with multiple panels unless specified.
- Bottom panels will be square panels unless otherwise specified by the customer.
- Single panel items over 26" wide or 48" high will not be warrantied for any expansion or contraction issues.




SLAB M020

Thickness options: 3/4" or 1"

Horizontal grain is standard

- Molding is 3/4" from top & bottom
- Molding is 1-3/4" from left & right

Choose: Edge Profile




FP-I0M020DF

Thickness options: 3/4" & 1"

Horizontal grain is standard

Standard framing: 2-1/4" on back, 1-3/4" reveal on face



FP-10M020

Thickness options: 3/4" or 1"


Standard framing: 2-1/4" on back, 1-3/4" reveal on face

Frame only available: yes- *added cost*

Mullions available: yes- M9620 std.

Radius available: no


Choose: Edge Profile, Standard 3/8 Veneer Panel


FP-10M066 DF

Thickness options: 3/4" or 1"

Horizontal grain is standard

Standard framing: 2-1/4"


FP-10M066

Thickness options: 3/4" or 1"


Standard framing: 2-1/4"

 Frame only available: yes- *added cost*

Mullions available: No

Radius available: No

Choose: Edge Profile, Standard 3/8" Veneer panel




**frame profile stand 1/8" proud*


M9617 RP W/ROPE MOLDING

Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 2"


M9617 RP W/ROPE MOLDING

Thickness options: 3/4"

Standard framing: 2-7/8"


Frame only available: Yes

Mullions available: Yes

Radius available: No

- 3/8" halfround rope molding is inlaid in frame
- Available in single panel/opening only

Choose: Panel Profile






SLAB M018

Thickness options: 3/4" or 1"

Horizontal grain is standard

- Molding 9/16" from top &bottom
- Molding 1-7/16" from left & right



MRP-10 M018 DF


Thickness options: 3/4" or 1"

Horizontal grain is standard

Standard framing: 2-1/4", 1-3/8" reveal on face

12

APPLIED
MOLDING
DOORS



MRP-10 M018

Thickness options: 3/4" or 1"

Standard framing: 2-1/4", 1-3/8" reveal on face


Frame only available: Yes

Mullions available: Yes

Radius available: Yes

Arch available: Yes

Choose: Frame, Edge, and Panel Profile







SLAB M028

Thickness options: 5/8" panel, 19/32" thick molding

Horizontal grain is standard

- Standard molding placement is flush with the edge.
- If edge profile is required, specify placement of molding.




MRP-10 M028DF

Thickness options: 3/4" or 1"

Horizontal grain is standard

Standard framing: 3" Stiles on back, 2-1/4" Rails on back



MRP-10 M028

Thickness options: 3/4" or 1"


Standard framing: 3" on back, 2-1/16" reveal on face



Frame only available: Yes

Mullions available: Yes

Radius available: Yes

Choose: Edge, and Panel Profile





SLAB M035

Thickness options: 3/4"

Horizontal grain is standard

- Molding is 1" from top & bottom.
- Molding is 1-1/2" from left & right.

Choose: Edge Profile




MRP-10 M035DF

Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 2 1/4" on back 1-1/2" reveal on face

- 1/2" square panel



MRP-10M035

Thickness options: 3/4"

Standard framing: 2-1/4" on back 1-1/2" reveal on face


Frame only available: Yes


Mullions available: Yes

Radius available: Yes

Arch available: Yes

Choose: Edge, and Panel Profile







SLAB M036

Thickness options: 3/4"

Horizontal grain is standard

- Molding is 3/4" from top & bottom
- Molding is 1-3/4" from left & right

Choose: Edge Profile




MRP-10 M036 DF

Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 2-1/4"

- 3/8 square panel



MRP-10 M036

Thickness options: 3/4"

Standard framing: 2-1/4"

Frame only available: Yes

Radius available: No

Mullions available: Custom mullions are available, SPP

Choose: Edge, and Panel Profile







SLAB M430

Thickness options: 3/4" panel thick is standard

- Standard molding placement is flush with the edge.



MRP-10 M050 DF


Thickness options: 3/4"

Horizontal grain is standard

Standard framing: 2-1/4"

12

APPLIED
MOLDING
DOORS



MRP-10 M050

Thickness options: 3/4"

Standard framing: 2-1/4"


Frame only available: Yes


Mullions available: No

Radius available: No

Panel profiles available:

| | |
|-----------|--------------|
| • A-Cove | • Q |
| • C | • 3/8" REV-G |
| • D Panel | • RM |
| • G-Cove | • S Cove |
| • M BEAD | • T Cove |
| • MOD RM | • U Cove |
| • PD | |






SLAB M100

Thickness options: 3/4", 3/8" thick molding

Horizontal grain is standard

- Standard molding placement is flush with the edge
- If edge profile is required, specify placement of molding




MRP-10 M100 DF

Thickness options: 3/4" or 1"

Horizontal grain is standard

Standard framing: 3" stiles on back, 2 -1/4" rails on back



MRP-10 M100

Thickness options: 3/4" & 1"

Standard framing: 3" on back, 2-5/16" reveal on face


Frame only available: Yes


Mullions available: Yes, *standard mullion is M100*

Radius available: Yes

Arch available: Yes



Choose: Edge, and Panel Profile





SLAB 9751

Thickness options: 3/8" (option) or 5/8" (standard)
 panel Horizontal grain is standard

- Standard 5/8" molding placement is flush with the edge
- If edge profile is required, specify placement of molding


MRP-9750 DF


Thickness options: 3/4" & 1"
 Horizontal grain is standard
 Standard framing: 2-1/4" on back, 1-15/16" reveal on face


MRP-9750

Thickness options: 3/4" & 1"
 Standard framing: 2-1/4" on back, 1-15/16" reveal on face
 Frame only available: Yes
 Mullions available: Yes, *standard mullions are 9620*
 Radius available: Yes
 Arch top rail available
 Available raise options:

| | |
|--------------|---------------|
| • 3/8" Rev G | • S-Cove |
| • A Cove | • H Panel |
| • Mod RM | • 3/4" L-Bead |
| • 1/2" C | • G-Cove |
| • 318 | • M Bead |
| • C | |

Choose: Edge, and Panel Profile



| | |
|------------------------------------------------|----|
| SALES, CSR, ACCOUNTING | 1 |
| GENERAL INFORMATION | 2 |
| MATERIAL GRADES | 3 |
| WARRANTY & AGREEMENTS | 4 |
| TERMINOLOGY | 5 |
| WOOD PRICING & PRICING MATRIX | 6 |
| PROFILES (RAISE, EDGE & BEAD) | 7 |
| MORTISE & TENON DOORS | 8 |
| MDRF DOORS & DRAWER FRONTS | 9 |
| MORTISE & TENON NOTCHED DESIGNS | 10 |
| MITERED DOORS | 11 |
| APPLIED MOLDING DOORS | 12 |
| EVOLUTION | 13 |
| SKINNY SHAKER, EDGE BANDING, SLABS | 14 |
| MULLION & SPECIALTY DOORS | 15 |
| DOOR & DRAWER OPTIONS | 16 |
| FINISHING | 17 |
| DRAWER BOXES, STORAGE & FLOATING SHELVES | 18 |
| FRONT FRAMES | 19 |
| MOLDING, TURNINGS & CORBELS | 20 |
| SPECIALTY PRODUCTS | 21 |
| SALES TOOLS | 22 |
| NON-PUBLISHED DESIGNS | 23 |

EVOLUTION

| | |
|--------------------------------------|-------|
| EVOLUTION..... | 13.3 |
| EVOLUTION SERIES 2 WOOD GRAIN | 13.4 |
| EVOLUTION SERIES 3 HIGH GLOSS | 13.10 |
| EVOLUTION SERIES 4 SUPER MATTE | 13.13 |
| EVO SKINNY | 13.15 |

- Any items ordered as 26-1/16" wide and or 48-1/16" high will be considered not warrantied.

EVOLUTION Door

Design: E210

Thickness 3/4" only

Frame Only: No Hinge

Route: No Mullions:

No Center Rail: No

- Minimum size: 3" x 6-1/2"

- Maximum size: 48" x 96"


 Vertical Grain Standard: *unless noted*

- Sheet goods & Edge banded goods available upon request.



| | | EDGE BAND TYPE | |
|--------------|--|----------------|-----|
| MATTE COLORS | | PUR | EVA |
| EUCALYPTUS | | YES | YES |
| URBAN VIBE | | YES | YES |

| | | EDGE BAND TYPE | |
|-----------------|--|----------------|-----|
| GRAINED COLORS | | PUR | EVA |
| FORCE OF NATURE | | NO | YES |
| WINTER FUN | | YES | NO |

**EVOLUTION SERIES 2**

Door design: E210

- Thermally Fused Laminate (TFL) Wood Grain
- PUR Edge Banded

Thickness: 3/4" only

Frame Only: No Hinge

Route: Yes

Mullions: No

Center rail: No

- Minimum size: 3" x 6-1/2"
- Maximum size: 48" x 96"

Vertical Grain Standard: *unless noted*

- No short grain option

| WOOD GRAIN NAME | PER SQ FOOT MATERIAL COST |
|------------------|------------------------------|
| FARMHOUSE | |
| DARK WALNUT | |
| MOD ELM | |
| STRAIGHT NOCE | |
| DOOR COUNTRY OAK | |
| BATTLE CREEK OAK | |

SHEET GOODS

- 8mm & 19mm thickness options, *see chart below*.
- Wood grained sheet goods are textured on face and back.
- Core material is CARB2 compliant particle board.
- Full sheets are sold without edge banding.
 - If you desire edge banding please order as a door slab.
- Sheets sold at 4' x 8' might arrive closer to 49" x 97".

| WOOD GRAIN | SHEET THICKNESS | SHEET SIZE | PRICE PER SHEET |
|------------------|-----------------|------------|-----------------|
| FARMHOUSE | 8mm | 4' x 8' | |
| FARMHOUSE | 19mm | 4' x 8' | |
| DARK WALNUT | 8mm | 4' x 8' | |
| DARK WALNUT | 19mm | 4' x 8' | |
| MOD ELM | 8mm | 4' x 8' | |
| MOD ELM | 19mm | 4' x 8' | |
| STRAIGHT NOCE | 8mm | 4' x 8' | |
| STRAIGHT NOCE | 19mm | 4' x 8' | |
| DOOR COUNTRY OAK | 8mm | 4' x 8' | |
| DOOR COUNTRY OAK | 19mm | 4' x 8' | |
| BATTLE CREEK OAK | 8mm | 4' x 8' | |
| BATTLE CREEK OAK | 19mm | 4' x 8' | |

EDGE BANDING ROLL


- Available in all wood grain colors.
- Edge Banding is available for Fusion, or PUR/EVA adhesives.
- Rolls of edge banding are all 300' in length.
- Rolls are 23mm in width and 1mm in thickness, *please specify*.



| WOOD GRAIN | EDGE BAND TYPE | PRICE PER |
|------------------|----------------|-----------|
| FARMHOUSE | FUSION | ROLL |
| FARMHOUSE | PUR/EVA | |
| DARK WALNUT | FUSION | |
| DARK WALNUT | PUR/EVA | |
| MOD ELM | FUSION | |
| MOD ELM | PUR/EVA | |
| STRAIGHT NOCE | FUSION | |
| STRAIGHT NOCE | PUR/EVA | |
| DOOR COUNTRY OAK | FUSION | |
| DOOR COUNTRY OAK | PUR/EVA | |
| BATTLE CREEK OAK | FUSION | |
| BATTLE CREEK OAK | PUR/EVA | |

SHEET GOODS - CUSTOM CUT TO SIZE

- 8mm & 19mm thickness options, *see chart below.*
 - Minimum Charge of 1 Square foot
- Non-Edge banded items only
 - If edge banding desired order as a E210 Slab.
- Core material is CARB2 compliant particle board.
- Custom cut to size panels:
 - All Wood Grains (Farmhouse, Dark Walnut, Mod Elm, Straight Noce)
- Min size 3" x 3"
- Max Size 48" x 96" (Vertical Grain)
- Max Size 96" x 48" (Horizontal Grain)



| WOOD GRAIN | SHEET THICKNESS | DESIGN CHARGE | SQ FOOT CHARGE |
|-----------------|-----------------|---------------|----------------|
| All Wood Grains | 8mm | | |
| All Wood Grains | 19mm | | |


LAMINATE HPL SHEETS


- .030" thickness with phenolic backer.
- 4' x 8' sheets are standard.
- Available in All Wood Grain colors (Farmhouse, Dark Walnut, Mod Elm, Straight Noce)
 - One end and one side are guaranteed to be free of defects.
- For best applications please have sheets unrolled and placed flat.
 - Allow 48 hours to acclimate the material to the flat position before cutting or installing.

13

EVOLUTION

| WOOD GRAIN | PRICE PER SHEET |
|-----------------|-----------------|
| All Wood Grains | |



**EVOLUTION SERIES 3- High Gloss**

Door Design: E210
PUR Edge Banded
Thickness: 3/4" only
Frame only available: No
Hinge rout: Yes
Mullions available: No
Center rail available: No
Minimum size 3" x 6-1/2"
Maximum size 5' x 9'

All products vertical grain standard

| HIGH GLOSS | TAFISA LUMMIA | PER SQUARE FOOT |
|------------|-------------------|-----------------|
| COLOR # | COLOR NAME | MATERIAL COST |
| HG115 | CARTE BLANCHE HG | |
| HG100 | VANILLA ORCHID HG | |
| HG765 | MIDNIGHT SUN HG | |
| HG203 | BLACK NOIR HG | |

SHEET GOODS

- 8mm & 19mm thickness options, See chart below.
 - 19MM High Gloss sheets are matched on face & back.
 - 8MM High Gloss has matte back.
- Core material is CARB2, ECC, ATCM, EPA, and TSCA compliant MDF.
- Full sheets are sold without edge banding.
 - Sheets sold at 5' x 9'
 - If you desire edge banding please order as a E210 Slab.

| WOOD GRAIN | SHEET THICKNESS | SHEET SIZE | PRICE PER SHEET |
|-------------------|-----------------|------------|-----------------|
| CARTE BLANCHE HG | 8mm | 5' x 9' | |
| CARTE BLANCE HG | 19mm | 5' x 9' | |
| VANILLA ORCHID HG | 8mm | 5' x 9' | |
| VANILLA ORCHID HG | 19mm | 5' x 9' | |
| MIDNIGHT SUN HG | 8mm | 5' x 9' | |
| MIDNIGHT SUN HG | 19mm | 5' x 9' | |
| BLACK NOIR HG | 8mm | 5' x 9' | |
| BLACK NOIR HG | 19mm | 5' x 9' | |

EDGE BANDING ROLL

- Available in all High Gloss colors.
- Edge Banding is available for Fusion, or PUR/EVA adhesives.
- Rolls of edge banding are all 300' in length.
- Banding is 15/16" in width.




13

EVOLUTION

| COLOR | EDGE BAND TYPE | THICKNESS | PRICE PER ROLL |
|-------------------|----------------|-----------|----------------|
| CARTE BLANCHE HG | FUSION | 1.2mm | |
| CARTE BLANCHE HG | PUR/EVA | 1mm | |
| VANILLA ORCHID HG | FUSION | 1.2mm | |
| VANILLA ORCHID HG | PUR/EVA | 1mm | |
| MIDNIGHT SUN HG | FUSION | 1.2mm | |
| MIDNIGHT SUN HG | PUR/EVA | 1mm | |
| BLACK NOIR HG | FUSION | 1.2mm | |
| BLACK NOIR HG | PUR/EVA | 1mm | |

SHEET GOODS - CUSTOM CUT TO SIZE

- 8mm & 19mm thickness options, *see chart below.*
 - Minimum Charge of 1 Square foot.
- Non-Edge banded items only.
 - If edge banding desired order as a E210 Slab.
- Core material is CARB2, ECC, ATCM, EPA, and TSCA compliant MDF.
- Custom cut to size panels, available in:
 - All High Gloss colors (Carte Blanche, Vanilla Orchid, Midnight Sun, Black Noir)
- Min size 3" x 3"
- Max Size 60" x 108" or 108" x 60"




| HIGH GLOSS | SHEET THICKNESS | DESIGN CHARGE | SQ FOOT CHARGE |
|------------|-----------------|---------------|----------------|
| ALL COLORS | 8mm | | |
| ALL COLORS | 19mm | | |

LAMINATE HPL SHEETS

.031" or .80MM thick with phenolic backer.

- 5' x 9' sheets are standard.
 - Available in all High Gloss colors. (Carte Blanche, Vanilla Orchid, Midnight Sun, Black Noir)
- One end and one side are guaranteed to be free of defects.
- For best applications please have sheets unrolled and placed flat.
- Allow 48 hours to acclimate the material to the flat position before cutting or installing.

| HIGH GLOSS | PRICE PER SHEET |
|------------|-----------------|
| ALL COLORS | |



EVOLUTION SERIES 4- PERFECT MATTE

Door Design: E210

PUR Edge Banded

Thickness: 3/4" only

Frame only available: No

Hinge rout: Yes

Mullions available: No

Center rail available: No

Minimum size 3" x 6-1/2"

Maximum size 5' x 9'

All products vertical grain standard

- *Outstanding anti-fingerprinting*

| PERFECT MATTE | TAFISA LUMMIA | PER SQ FOOT |
|---------------|-------------------|---------------|
| COLOR # | COLOR NAME | MATERIAL COST |
| PM765 | MIDNIGHT SUN PM | |
| PM203 | BLACK NOIR PM | |
| PM115 | CARTE BLANCHE PM | |
| PM100 | VANILLA ORCHID PM | |
| PM772 | CALM SEA PM | |

SHEET GOODS

- 8mm & 19mm thickness options, see chart below
 - Sheets sold at 5' x 9'.
- Perfect matte sheet goods are matched on face and back.
- Core material is CARB2, ECC, ATCM, EPA, and TSCA compliant MDF.
- Full sheets are sold without edge banding.
 - If you desire edge banding please order as a E210 slab.

| WOOD GRAIN | SHEET THICKNESS | SHEET SIZE | PRICE PER SHEET |
|-------------------|-----------------|------------|-----------------|
| CARTE BLANCHE PM | 8mm | 5' X 9' | |
| CARTE BLANCHE PM | 19mm | 5' X 9' | |
| VANILLA ORCHID PM | 8mm | 5' X 9' | |
| VANILLA ORCHID PM | 19mm | 5' X 9' | |
| MIDNIGHT SUN PM | 8mm | 5' X 9' | |
| MIDNIGHT SUN PM | 19mm | 5' X 9' | |
| BLACK NOIR PM | 8mm | 5' X 9' | |
| BLACK NOIR PM | 19mm | 5' X 9' | |
| CALM SEA PM | 8mm | 5' X 9' | |
| CALM SEA PM | 19mm | 5' X 9' | |

EDGE BANDING ROLL


- Rolls of Edge Banding are all 300' in length.
- Edge Banding is 15/16" in width.

| COLORS | EDGE BAND TYPE | PRICE PER ROLL | THICKNESS |
|-------------------|----------------|----------------|-----------|
| CARTE BLANCHE PM | FUSION | | 1.2mm |
| CARTE BLANCHE PM | PUR/EVA | | 1mm |
| VANILLA ORCHID PM | FUSION | | 1.2mm |
| VANILLA ORCHID PM | PUR/EVA | | 1mm |
| MIDNIGHT SUN PM | FUSION | | 1.2mm |
| MIDNIGHT SUN PM | PUR/EVA | | 1mm |
| BLACK NOIR PM | FUSION | | 1.2mm |
| BLACK NOIR PM | PUR/EVA | | 1mm |
| CALM SEA PM | FUSION | | 1.2mm |
| CALM SEA PM | PUR/EVA | | 1mm |



SHEET GOODS - CUSTOM CUT TO SIZE

- 8mm & 19mm thickness options, see chart below.
- Minimum Charge of 1 square foot.
- Non-Edge banded items only- if edge banding is desired order as a E210 slab.
- Core material is CARB2, ECC, ATCM, EPA, and TSCA compliant MDF.
- Custom cut to size panels:
 - All Perfect Matte colors (Carte Blanche, Vanilla Orchid, Midnight Sun, Black Noir, Calm Sea)
- Minimum size 3" x 3"
- Maximum size 60" x 108" or 108" x 60"



| PERFECT MATTE- ALL COLORS | SHEET THICKNESS | SQUARE FOOT CHARGE |
|---------------------------|-----------------|--------------------|
| | 8mm | |
| | 19mm | |

13

EVOLUTION

LAMINATE HPL SHEETS

- .031" or .80mm thick with phenolic backer.
- 4.4' X 9' is sheet standard.
- For best applications please have sheet unrolled and placed flat
 - Allow 48 hours to acclimate the material to the flat position before cutting or installing.


| PERFECT MATTE | PRICE PER SHEET |
|-------------------|-----------------|
| CARTE BLANCHE PM | |
| VANILLA ORCHID PM | |
| MIDNIGHT SUN PM | |
| BLACK NOIR PM | |
| CALM SEA PM | |





★ EVO-SKINNY 10 DF

Thickness options: 7/8" frame / 3/4" panels
 Vertical grain panel is standard
 Framing width: 3/4" only



★ EVO-SKINNY 10

Thickness options: 7/8" frame / 3/4" panels
 Framing width: 3/4" only
 Frame only: No
 Radius: No
 Mullions: No
 Minimum sizes is 7" x 11" or 11" x 7"



| COLOR NAME | PER SQ. FT MATERIAL COST | DATE AVAILABLE |
|------------------|--------------------------|----------------------------|
| DARK WALNUT | | SPRING 2026 |
| STRAIGHT NOCE | | JAN 3 RD , 2026 |
| DOOR COUNTRY OAK | | JAN 3 RD , 2026 |
| BATLE CREEK OAK | | SPRING 2026 |

| | |
|------------------------------------------------|----|
| SALES, CSR, ACCOUNTING | 1 |
| GENERAL INFORMATION | 2 |
| MATERIAL GRADES | 3 |
| WARRANTY & AGREEMENTS | 4 |
| TERMINOLOGY | 5 |
| WOOD PRICING & PRICING MATRIX | 6 |
| PROFILES (RAISE, EDGE & BEAD) | 7 |
| MORTISE & TENON DOORS | 8 |
| MDRF DOORS & DRAWER FRONTS | 9 |
| MORTISE & TENON NOTCHED DESIGNS | 10 |
| MITERED DOORS | 11 |
| APPLIED MOLDING DOORS | 12 |
| EVOLUTION | 13 |
| SKINNY SHAKER, EDGE BANDING, SLABS | 14 |
| MULLION & SPECIALTY DOORS | 15 |
| DOOR & DRAWER OPTIONS | 16 |
| FINISHING | 17 |
| DRAWER BOXES, STORAGE & FLOATING SHELVES | 18 |
| FRONT FRAMES | 19 |
| MOLDING, TURNINGS & CORBELS | 20 |
| SPECIALTY PRODUCTS | 21 |
| SALES TOOLS | 22 |
| NON-PUBLISHED DESIGNS | 23 |

SKINNY SHAKER, EDGE BANDING, SLABS

EDGE BANDED DOOR SPECIFICATIONS

Dimensional Tolerances

- Maximum variance for edge banded doors length or width is + or - 1/32"
- Maximum warpage (twisted or bowed) for parts 26" x 48" and under is 1/8"
- Maximum warpage (twisted or bowed) for parts 48" - 72" long is 1/4"


Veneer Doors

- Veneer doors will be held to the veneer specs for any issues. *See page 21.10 for veneer specs.*


General Edge Banding & M400 Series Tolerances

- The corners created when edge banding should be a clean round over.
 - No excess banding will hang from the end of the piece.
- The edges should be smooth and free of any bumps/snipes/dips.
- There should not be a visible gap between the banding and the panel.
- Finger jointing, in a small amount, on the edge banding should be expected and is not considered a defect.
- Veneer banding grade should relatively match the panel as close as possible and reflect regular grade specifications.
 - Minor color variations from banding to panel will be considered acceptable.

| | |
|----------------------------------|-------|
| CONTEMPORARY II..... | 14.4 |
| E300 EDGE BANDED 3 PIECE..... | 14.4 |
| E208 EDGE BANDED..... | 14.5 |
| R208 RECON EDGE BANDED..... | 14.5 |
| E212 EDGE BANDED..... | 14.6 |
| M400 MITERED..... | 14.7 |
| FRAME ONLY & MULLIONS..... | 14.8 |
| SLAB M400 & SLAB M405..... | 14.9 |
| SLAB M410 & SLAB M415..... | 14.10 |
| SLAB M420 & SLAB M425..... | 14.11 |
| SLAB M430 & SLAB M435..... | 14.12 |
| SLAB M440 & SLAB M445..... | 14.13 |
| SLAB M450 & SLAB M455..... | 14.14 |
| SLAB M460 & SLAB M465..... | 14.15 |
| SLAB M470 & SLAB M475..... | 14.16 |
| SLAB M480 & SLAB M485..... | 14.17 |
| SLAB M490 & M495..... | 14.18 |
| SLAB M500 & MDF SLAB M505..... | 14.19 |
| SLAB M410..... | 14.20 |
| SLAB & RAISED PANEL DRAWERS..... | 14.21 |



Battens:



CONTEMPORARY II

Thickness options: 3/4" or 1"

- Maximum width is 23-3/4"

Frame only available: N/A: *use MRP-10*



Mullions available: N/A: *use MRP-10*

Radius available: Yes

Prefit: No- due to battens

- Battens are attached on the back and are 2-1/4" wide
- 2" from ends, 1-5/8" from sides
- Over 48" high get 3 battens.

Choose: Edge Profile



E 300 EDGE BANDED 3 PIECE (REAL WOOD)

Thickness: 3/4"

- Standard horizontal grain panels
- Standard vertical grain stiles

Minimum Size: 3-3/4" x 6-1/2"

- Banding: .5mm only

Prefit: No

Species- per sq foot:

- Cherry
- Hard Maple
- Rift White Oak
- White Oak
- Walnut

E 208 EDGE BANDED (REAL WOOD)

Thickness: 3/4"

- Vertical grain is standard on doors & drawer fronts, *specify if different.*

Prefit: No

Minimum size: 3-3/4" x 6-1/2"

Maximum size: 48" x 96"

- Banding: .5mm only

Species- per sq foot:

- Cherry
- Hard Maple
- Rift White Oak
- White Oak
- Walnut

Frame Only: Yes, *specify the frame width you require.*

- MDF will be visible in glass route

R 208 EDGE BANDED (RECON VENEERS)

Thickness: 3/4"

Minimum size: 3" x 6-1/2"


Prefit: No

- Banding: .5mm Only
- Matching sheet goods & edge banding available

Vertical Grain standard on doors & drawers, *specify if different.*

Species- per sq foot:

- Rift White Oak- Standard 2-3 week lead.
- QT Walnut- Extended Lead time 5-6 week lead.
- QC Wenge- Extended Lead time 5-6 week lead.
- QC Cherry- Extended Lead time 5-6 week lead.
- Mahogany- Extended Lead time 5-6 week lead.
 - *Alternate species are available upon request.*



E 212 EDGE BANDED (REAL WOOD)

Thickness: 3/4"

Minimum size: 3-3/4" x 6-1/2"

Prefit: No

- Banding: 2mm only


Vertical Grain standard on doors & drawers, *specify if different.*

Species- per square foot:

- Cherry
- Hard Maple
- Rift White Oak
- White Oak
- Walnut


Frame Only: Yes, *specify the framing size you require.*

- MDF will be visible in glass route



14

SKINNY SHAKER,
EDGE BANDING,
SLABS



M400 MITER

Standard thickness options: 1/2" veneer, 3/4", 7/8", or 1" framing.

- Use 1" veneer material price *see page 6.3*

Panel setback: .128" standard

Vertical Grain Standard on doors & drawer fronts, *specify if different*.

Frame only: No


Mullions: No

Radius: No

Prefit: No

Framing width options:

- a) 1/2" face & 2-1/4" back, *minimum sizes 5-1/2" H & W*
- b) 3/4" face & 2-1/2" back, *minimum sizes 6" H & W*
- c) 1" face & 2-3/4" back, *minimum sizes 6-1/2" H & W*
- d) 1-1/4" face & 3" back, *minimum sizes 7" H & W*





FRAME ONLY ON SLAB 400 SERIES DOORS

- Square bead with 3/8" set back standard.
 - 1/4" setback is available for 1/4" glass.
- *Please specify* your overall desired width of framing- include the width on the molding.
 - If no width is specified by the customer, 2-1/4" including the width of the framing will be the default.
- The interior 3/8" set back will be edge banded to match the species selected.
 - All other routed areas will be shipped to you in raw MDF.
- Meridian Products will not be responsible for any moisture issues that might occur to these products.
- Meridian Products strongly recommends that you seal the raw MDF before installation.

MULLIONS ON SLAB 400 SERIES DOORS

- Paint Grade species only- Mullion grid will be solid MDF.
- Square bead with 3/8" set back standard. No other options are available.
- 5/8" square bead mullions are standard.
- Mullion width can be altered at customer's request.
- Please specify your overall desired width of framing ; include the width on the molding.
 - If no width is specified by the customer 2-1/4"" including the width of the framing will be the default.
- There will be NO edge banding on any interior routed locations.
- The mullion grid will only be available in raw MDF with straight mullion production.
- No specialty mullion design options.
- Meridian Products will not be responsible for any moisture issues that might occur to these products.
- Meridian Products strongly recommends that you seal the raw MDF before installation.





SLAB M400

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material pricing
- 1-1/4" wide frame



Vertical grain standard on doors & drawer fronts, *specify if different.*

Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No



Slab M405

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material pricing
- 3/4" wide frame


Vertical grain standard on doors & drawer fronts, *specify if different.*


Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No



**SLAB M410**

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material price
- 3/4" wide frame



Vertical grain standard on doors & drawer fronts, *specify if different.*

Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No

**SLAB M415**

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material price
- 3/4" wide frame


Vertical grain standard on doors & drawer fronts, *specify if different.*


Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No



**SLAB M420**

Thickness options: 3/4" veneer with 1" peak frame

- Use 1" veneer material price
- 3/4" wide frame

Vertical grain is standard on doors & drawer fronts, *specify if different.*

Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No

**SLAB M425**

Thickness options: 3/4" veneer with 15/16" frame

- Use 1" veneer material price
- 1/2" wide frame


Vertical grain is standard on doors & drawer fronts, *specify if different.*


Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No





SLAB M430

Thickness options: 3/4" veneer with 29/32" frame

- Use 1" veneer material price
- 1/4" wide frame


Vertical grain is standard on doors & drawer fronts, *specify if different.*

Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No



SLAB M435

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material price
- 3/4" wide frame


Vertical grain is standard on doors & drawer fronts, *specify if different.*


Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No



**SLAB M440**

Thickness options: 3/4" veneer with 7/8" frame

- Use 1" veneer material price
- 5/8" wide frame



Vertical grain is standard on doors & drawer fronts, *specify if different.*

Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No

**SLAB M445**

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material price
- 1" wide frame


Vertical grain is standard on doors & drawer fronts, *specify if different.*


Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No





SLAB M450

Thickness options: 3/4" veneer with 7/8" frame

- Use 1" veneer material price
- 3/4" wide frame


Vertical grain standard on doors & drawer fronts, *specify if different.*

Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No



SLAB M455

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material price
- 1/2" wide frame

Vertical grain standard on doors & drawer fronts, *specify if different.*


Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No



**SLAB M460**

Thickness options: 3/4" veneer with 7/8" frame

- Use 1" veneer material price
- 1/4" wide frame



Vertical grain is standard on doors & drawer fronts, *specify if different.*

Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No

**SLAB M465**

Thickness options: 3/4" veneer with 7/8" frame

- Use 1" veneer material price
- 7/8" wide frame


Vertical grain is standard on doors & drawer fronts, *specify if different.*


Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No





SLAB M470

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material price
- 3/4" wide frame



Vertical grain is standard on doors & drawer fronts, *specify if different.*

Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No



SLAB M475

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material price
- 3/4" wide frame


Vertical grain is standard on doors & drawer fronts, *specify if different.*


Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No





SLAB M480

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material price
- 5/8" wide frame



Vertical grain is standard on doors & drawer fronts, *specify if different.*

Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No



SLAB M485

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material price
- 3/4" wide frame


Vertical grain is standard on doors & drawer fronts, *specify if different.*


Frame only: Yes

Mullions: Yes, paint grade only.

Radius: No

Prefit: No





SLAB M490

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material price
- 1/2" wide frame



Vertical grain is standard on doors & drawer fronts, *specify if different.*

Frame only: Yes

Mullions: Yes, paint grade only

Radius: No

Prefit: No



SLAB M495 ★

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material price
- 3/4" wide frame


Vertical grain is standard on doors & drawer fronts, *specify if different.*


Frame only: Yes

Mullions: No

Radius: No

Prefit: No





SLAB M500 ★

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material price
- 1-1/4" wide frame



Vertical grain is standard on doors & drawer fronts, *specify if different.*

Frame only: Yes

Mullions: No

Radius: No

Prefit: No



SLAB M505 ★

Thickness options: 3/4" veneer with 1" frame

- Use 1" veneer material price
- 1-1/4" wide frame


Vertical grain is standard on doors & drawer fronts, *specify if different.*


Frame only: Yes

Mullions: No

Radius: No

Prefit: No





SLAB M510 ★

Thickness options: 3/4" veneer with 7/8" frame

- Use 1" veneer material price
- 1" wide frame, with .125" setback


Vertical grain is standard on doors & drawer fronts, *specify if different.*

Frame only: Yes

Mullions: No

Radius: No

Prefit: No



SLAB


Thickness options: 3/8" to 1"

Oversized slabs may require 1" special pricing.

Choose: Edge Profile

NUMBER 10

Thickness options: 3/8" to 1"

Choose: Edge Profile

1" RAISED DF

Thickness options: 1"


Edge thickness varies depending on panel profile.

- Rabbeted edge profiles are not available.


Choose: Edge Profile and Panel Profile

1-1/8" RAISED DRAWER FRONT

Edge thickness varies depending on panel profile.


Choose: Edge Profile and Panel Profile

Keystone- (A Cove)

Thickness 5/8" to 1"

Choose: Edge profile

#15- (1/2" C)

Thickness: 5/8", 3/4", 1"

Edge thickness varies from 3/8", 1/2", or 3/4"

Choose Edge Profile

#20- (1" Slant)

Thickness: 5/8", 3/4", or 1"

Edge thickness varies: 3/8", 1/2", or 3/4"

Choose Edge Profile


All one piece construction: slabs 6" or less will have no staves. All single drawers one piece over 48" will be charged for 2 designs

| | |
|----|------------------------------------------------|
| 1 | SALES, CSR, ACCOUNTING |
| 2 | GENERAL INFORMATION |
| 3 | MATERIAL GRADES |
| 4 | WARRANTY & AGREEMENTS |
| 5 | TERMINOLOGY |
| 6 | WOOD PRICING & PRICING MATRIX |
| 7 | PROFILES (RAISE, EDGE & BEAD) |
| 8 | MORTISE & TENON DOORS |
| 9 | MDRF DOORS & DRAWER FRONTS |
| 10 | MORTISE & TENON NOTCHED DESIGNS |
| 11 | MITERED DOORS |
| 12 | APPLIED MOLDING DOORS |
| 13 | EVOLUTION |
| 14 | SKINNY SHAKER, EDGE BANDING, SLABS |
| 15 | MULLION & SPECIALTY DOORS |
| 16 | DOOR & DRAWER OPTIONS |
| 17 | FINISHING |
| 18 | DRAWER BOXES, STORAGE & FLOATING SHELVES |
| 19 | FRONT FRAMES |
| 20 | MOLDING, TURNINGS & CORBELS |
| 21 | SPECIALTY PRODUCTS |
| 22 | SALES TOOLS |
| 23 | NON-PUBLISHED DESIGNS |

MULLION & SPECIALTY DOORS

15

MULLION &
SPECIALTY
DOORS


OPEN LOUVER- *closed louver available*

Thickness options: 3/4" or 1"

Standard framing: 2 1/4" with square bead



- Louver width 3/8"
- Space between 5/16"

Double section available when larger than 26" wide or 48" high.

Frame only available: N/A

Radius available: No

1" profile options: Square, Square Reverse, Colonial, Ogee, or Shape 2


Frame Only


Design price same as raised panel matching doors

- 3/4" thick frame only, standard groove for 1/8" glass
- 1" thick frame only, please specify 1/8" or 1/4" glass.
- Supplied with a clear vinyl glass retainer molding.
- Wood retainers molding is available upon request.
- Glass sizes listed on confirmation are for vinyl retainer molding only.
 - *We encourage customers to wait until receiving doors for accurate glass sizes.*

SQUARE FOOTAGE CALCULATIONS FOR PRICING

Doors 26" wide or less = Height x 9.0

Doors wider than 26" = Height x 18.0

 Arched glass rout for beveled glass: *Added cost*

INDIVIDUAL LITES - AVAILABLE IN 3/4" & 1" Option


- Price is additional to standard mullion price.
- Wood and Vinyl retainer molding is NOT supplied with this option.
- Available on all standard mullions *see pages 15.8 & 15.9*

MULLIONS


Mullions ordered width by height. 2 x 3 = 2 wide by 3 high

Mullion Pricing:

- For equal spacing
- For unequal spacing
- Non-matching profiles
- Is additional to frame only pricing.
- Standard configurations shown below, *please specify other configurations with a sketch.*




9 Lite





9 Lite Offset- square only

15

 MULLION &
 SPECIALTY
 DOORS


12 Lite 3 x 4


 12 Lite 2 x 6
*not recommended
 for height over 48"*


X-Mullion

Thickness options: 3/4" or 1"

Standard framing: see door drawing

Mullion must match framing profile.

Radius: Yes


3/4" - Shape 2, Ogee, Colonial, Elite, Executive, Square

1" - Shape 2A, 1" Ogee, 1" Square, 1" Elite, 1" Colonial

SPECIALTY MULLION DESIGNS

Pricing of raw specialty mullion designs consist of three items plus any options:

1. Door Design Charge
2. Engineering Design charge
3. Frame only square foot material charge: See page 15.3
4. Add any options: hinge bore, finishing, odd framing, etc.


7 LITE CATHEDRAL


Thickness options: 3/4" or 1"

Standard framing: See door drawing

Mullion profile must match the framing profile. Radius available: No

3/4" 1"

| | |
|-----------|-------------|
| Shape 2 | Shape 2A |
| Ogee | 1" Ogee |
| Colonial | 1" Square |
| Elite | 1" Elite |
| Executive | 1" Colonial |
| | Square |


7 LITE CATHEDRAL- TOP & BOTTOM


Thickness options: 3/4" or 1"

Standard framing: See door drawing

Mullion profile must match the framing profile. Radius available: No

3/4" 1"

| | |
|-----------|-------------|
| Shape 2 | Shape 2A |
| Ogee | 1" Ogee |
| Colonial | 1" Square |
| Elite | 1" Elite |
| Executive | 1" Colonial |
| | Square |


7 LITE GOTHIC


Thickness options: 3/4" & 1"

Standard framing: See door drawing

Mullion profile must match the framing profile.

Radius: No

| <u>3/4"</u> | <u>1"</u> |
|-------------|-------------|
| Shape 2 | Shape 2A |
| Ogee | 1" Ogee |
| Colonial | 1" Square |
| Elite | 1" Elite |
| Executive | 1" Colonial |
| Square | |


7 LITE GOTHIC, TOP & BOTTOM


Thickness options: 3/4" or 1"

Standard framing: See door drawing

Mullion profile must match the framing profile.

Radius: No

| <u>3/4"</u> | <u>1"</u> |
|-------------|-------------|
| Shape 2 | Shape 2A |
| Ogee | 1" Ogee |
| Colonial | 1" Square |
| Elite | 1" Elite |
| Executive | 1" Colonial |
| Square | |


ELLIPTICAL OFFSET


Thickness options: 3/4" or 1"

Standard framing: See door drawing

Radius: No

Species Only: Hard Maple, Cherry, Red Oak, Walnut, Mahogany

| <u>3/4"</u> | <u>1"</u> |
|-------------|-------------|
| Shape 2 | Shape 2A |
| Ogee | 1" Ogee |
| Colonial | 1" Square |
| Elite | 1" Elite |
| Executive | 1" Colonial |
| Square | |



MODERN GOTHIC

Thickness options: 3/4" or 1"

Standard framing: See door drawing

Radius: No

| 3/4" | 1" |
|-----------|-------------|
| Shape 2 | Shape 2A |
| Ogee | 1" Ogee |
| Colonial | 1" Square |
| Elite | 1" Elite |
| Executive | 1" Colonial |
| Square | |


OVAL DROP


Thickness options: 3/4" or 1"

Standard framing: See door drawing

Radius: No

Species only: Hard Maple, Cherry, Red Oak, Walnut, Mahogany

| 3/4 | 1" |
|-----------|-------------|
| Shape 2 | Shape 2A |
| Ogee | 1" Ogee |
| Colonial | 1" Square |
| Elite | 1" Elite |
| Executive | 1" Colonial |
| Square | |


HOURGLASS

Thickness options: 3/4" or 1"


Standard framing: See door drawing

Mullion profile must match the framing profile.


Radius: No

| 3/4" | 1" |
|-----------|-------------|
| Shape 2 | Shape 2A |
| Ogee | 1" Ogee |
| Colonial | 1" Square |
| Elite | 1" Elite |
| Executive | 1" Colonial |
| Square | |

STANDARD MULLION SHAPES FOR 3/4" DOORS




STANDARD MULLION SHAPES FOR 1" DOORS




WOOD GLASS RETAINER (CLEAR VINYL RETAINER REMOVED FROM ORDERS)


Glass sizes listed on confirmation are for using vinyl retainer molding.




Outside Corner
PRO198




Inset
PRO110




1/8" Glass Retainer
PRO288




1/4" Glass Retainer
PRO287



PRO342



PRO342



PRO342



Route back for glass, no retainer groove: *Added cost.*

DOOR & DRAWER OPTIONS

| | |
|------------------------------------------------|----|
| SALES, CSR, ACCOUNTING | 1 |
| GENERAL INFORMATION | 2 |
| MATERIAL GRADES | 3 |
| WARRANTY & AGREEMENTS | 4 |
| TERMINOLOGY | 5 |
| WOOD PRICING & PRICING MATRIX | 6 |
| PROFILES (RAISE, EDGE & BEAD) | 7 |
| MORTISE & TENON DOORS | 8 |
| MDRF DOORS & DRAWER FRONTS | 9 |
| MORTISE & TENON NOTCHED DESIGNS | 10 |
| MITERED DOORS | 11 |
| APPLIED MOLDING DOORS | 12 |
| EVOLUTION | 13 |
| SKINNY SHAKER, EDGE BANDING, SLABS | 14 |
| MULLION & SPECIALTY DOORS | 15 |
| DOOR & DRAWER OPTIONS | 16 |
| FINISHING | 17 |
| DRAWER BOXES, STORAGE & FLOATING SHELVES | 18 |
| FRONT FRAMES | 19 |
| MOLDING, TURNINGS & CORBELS | 20 |
| SPECIALTY PRODUCTS | 21 |
| SALES TOOLS | 22 |
| NON-PUBLISHED DESIGNS | 23 |

16

DOOR &
DRAWER
OPTIONS

Barnwood Door

- Meridian Products Barnwood species is made to resemble a rough lumber look and feel.
- Minimal smooth surface areas on the face, however the back of the door can be completely smooth.
- Overall thickness across the entire piece should be no more than 1/8" thinner than requested thickness.
- Man-made or machine marks will be blended to showcase all the natural characteristics of the wood species.
 - Case by case basis and will be based off manager discretion.
- Natural defect allow EXPECT: rot, cracks, through hole knots, and sticker stains.
- No amount of crayon marks or any markings that would indicate it was done by a human will be acceptable.
- Man-made machine related marks will be "softened up" using a wire brush.
- Total allowable offset on panel from stave to stave is 1/8", anything pushing the limit will be rounded slightly to avoid any large sharp "step" between each stave.

Available species: Red Oak, White Oak, Hard Maple, Cherry

Material charges: standard material x 1.76%

Door design: MRP-10's only

- Doors
- Drawer Fronts
- Slabs

Framing: Square only

Panel Profile: 3/8" Rev G only

Edge Profile: ME only

Finish available as wipe on/off only- normal charge x 1.5%

Can produce: Face Frames, Frame only, & Pre-fit.



Seasoned Grain Relief

Per panel, + 3 days lead time

***machine limitations nothing larger than 48" in width and height for panel sizes.*

What is Season Grain Relief?

- Our Season Grain Relief consists of the removal of the softer portion pf the woods surface from the face of the product which will result in a textured feel and appearance.
- This option on a 5 piece product will only be evident on the flat surfaces. Beads and the edge profiles will not show any relief.

Designs Available:

- FP-10, FP-0149, FP-1097, FP-12, FP-14, and the Slab 400 & 500 line.
 - Solid wood panel options may be available through SPP.

Species Available:


- Hickory, Quarter Sawn Red Oak, Quarter Sawn White Oak, Rift White Oak, and Rift Red Oak.

Profile Options:

- Panels Raise Options:
 - 1/4" & 3/8" MDF veneer core panel.
 - Hickory, White Oak, Quarter Sawn Red Oak only available on 1/4" panels.
- Bead Options:
 - Square and 30 degree chamfer.
- Edge Profile:
 - ME, MER, and M12.

Finishing Options:

- Product is available with any of our finish options.
- Meridian Products recommends this product line with a low sheen.
- Please purchase a sample door to review your request before purchasing a complete job.



35 MM Hinge Bore & 35 MM Blum Hinge Bore- per door

- Standard Bore Depth= 1/2"
- Standard locations pictured, *specify if different*.

Additional Hinge Boring-

- 3 bores @ 42" H= *added cost*
- 4 bores @ 63" H= *added cost*

Edge Profiles Available-

- AC2, AL2, B2, C2, C2 Raised, CH2, Euro, GR2, H2, M2, M12, ME, MER, M5, R2, R3, V2, PR2, ST Cove, 1/16" Radius, 2D.

35 MM .421 Hinge Bore- per door

- Standard Bore Depth= .421
- Standard locations pictured, *specify if different*.

Additional Hinge Boring-

- 3 bores @ 42" H= *added cost*
- 4 bores @ 63" H= *added cost*

Edge Profiles Available-

- AC2, AL2, B2, C2, C2 raised, CH2, CK2, Colonial, Euro, F2, GR2, H2, IF, J2, K2, KL2, M12, M2, M4M, M5, ME, MER, MOD Euro, MOD IF, OGEE, OM, PR2, R2, R3, V2, Y2, JW, N2, SOUTHWESTERN, ST, ST COVE, 1/16" Radius, 2D.

Hinge Slot- per door

- Standard locations pictured, *specify if different*.

Additional Hinge Boring-





- 3 bores @ 42" H= *added cost*
- 4 bores @ 63" H= *added cost*

Edge Profiles Available-

- AL2, B2, C2, C2 Raised, CF, CH2, E2, FP, GR2, H2, J2, M2, ME, OM, PR2, R2, R3, V2, Euro, M12, M4M, MER, R3R, 1/16" Radius. Must have rabbet.


Soss Hinge- per door

- 4-13/16" from bottom of door to bottom of hinge.


35 MM & 35MM .421

35 MM Blum

Hinge Slot


Panel Bead or Shiplap Bead

- per sq. foot, +2 days lead time
- Available with solid wood or MDF panels
- Bead spacing 3" or more: *additional* per sq. foot
 - Spacing is center of bead to center of bead.
 - Specify bead spacing when ordering, minimum spacing is 1-1/2"
- All options can be done on MDF as an *Inlaid panel*.
- Shiplap bead has standard horizontal grain & beads
 - Options are the same as panel beads.

**3/16" V GROOVE****1/4" V GROOVE****5/16" V GROOVE****1/4" BEAD****3/8" BEAD****1/2" BEAD****1/8" SQUARE**

Radius Finger Pull or Square Finger Pull





Option Price: per pull

Full length: additional

Specify location(s) of finger pulls by using the following guidelines:

- Choose the edge of the door: top, bottom, left, right
- Choose the location for top or bottom: left, middle, or right
- Choose location for left or right: top, middle, or bottom

Radius



Polish Sanding

Broken Edges

- This option is to help decrease your sanding.
- Products from Meridian Products will still require white wood sanding before you finish.
- Meridian Products does not sell any items with expectations to be finish room ready.
- All polish sanded products and broken edge products, are broken on the face standard, with all product purchases.

Specifications

- 2 sets of orbitals to break the edges- 220 Grit Sandpaper
- 1 Micron 100= 150 Grit Sandpaper
- 1 Micron 80= 180 Grit Sandpaper

Option Price

- Sand edge by hand: per panel
- Sand back and edge: per panel
- Face sanded twice: *additional*

Glued in MDF Panel Option

- *per panel*
- This option is only available with solid wood frame and MDF panel construction.
- Glue will be added on all four sides

MDF Flat Panel Sand

- Material arrives at Meridian Products with a standard 150 sanding on face and back.
- Option price with notation "Sand MDF panel": *per panel*
- Meridian Products will sand the product to 220 and remove some of the minor 150 grit scratches before assembly.

Putty Pin Holes

- *Per Panel*

Oversized Slab or Panel- per piece

- Any slabs or panels over 23-3/4" wide
- Any slabs or panels over 6" wide and 60" long
- Slabs over 12" wide are not guaranteed
- Doors over 26" W will be made with 2 panels when design allows
- Doors over 48" H will be made with 2 panels when design allows

Oversized Framing

- per piece up to 5-15/16"
- per piece 6" and over
- Customize doors or drawer fronts by altering the framing width from standard dimensions to a larger size.
- Mitered doors must be equal all around
- Any product with framing sizes 12" plus will be priced through special designs.
 - If paint grade material, please note if partial MDF is okay for your oversized framing.

Undersized Framing- per door

- Customize doors or drawers by altering the framing width from standard dimensions to a smaller size.
- Mitered doors must be equal all around.
- Minimum framing width is 1-1/4"
 - Upon request, doors can be made undersized for an additional cost:
 - Additional for coped mortise & tenon
 - Additional for notched mortise & tenon

Frame Only Doors with no Glass Rabbet

- Option charge is *in addition to the design price.*




LOCK MITERS- OUTSIDE CORNER


45 Degree Locking Miter- per door/front frame

- 3/4" or 1"
- Specify face or back
- Specify if Meridian should attach or if you will attach on site.

Lock Miter Outside Corner



As seen on Meridian confirmations:




LOCK MITERS- INSIDE CORNER


45 Degree Locking Miter- per door/front frame

- 3/4" or 1"
- Specify face or back
- Specify if Meridian should attach or if you will attach on site.

Lock Miter Inside Corner



As seen on Meridian confirmations:





Distressing

- You may customize your order with our standard distressing options #1, #2, or #3.
- Meridian Products may also meet your custom distressing specifications based upon time and material pricing.

Distressing Option #1

- Doors and Drawer Fronts: per piece
- Slabs: per piece

Specifications of Option #1

- Random dents and small gouge marks.
- Random and uneven easing of edges and corners, simulates natural aging and wear.

Distressing Option #2

- Doors and Drawer Fronts: per piece
- Slabs: per piece

Specifications of Option #2

- Random dents and small gouges.
- Random and uneven easing of edges and corners, simulates natural aging and wear.
- Random "relief" cuts in door frame joint to simulate an "open joint".
- Random "split" cuts simulate "dry out" splits in wood.
- Random clusters of small bird peck or worm holes.

Distressing Option #3

- Doors and Drawer Fronts: per piece
- Slabs: per piece

Specifications of Option #3

- Random dents and small gouges.
- Random and uneven easing of edges and corners, simulates natural aging and wear.
- Random "relief" cuts in door frame joint to simulate an "open joint".
- Random "split" cuts simulate "dry out" splits in wood.
- Random clusters of small bird peck or worm holes.
- Rasping: randomly placed marks on the raised profiles to simulate severe wear.
- All around heavy distressing.

Customer Distressing Option


- Create your own with a supplied sample.
- Doors and Drawer Fronts: per piece
- Slabs: per piece

Pegs

Flush Mount Pegs- per door

Specify:


- 3/8" round
- 1/4" round
- 3/8 square
- 1/4" square
- Wood Species
- Diagonal peg (square only)



Raised Pegs- per door

Specify:


- 3/8" square
- 1/4" square
- Wood Species
- Diagonal peg (square only)



Beveled Pegs- per door



Specify:

- 3/8" square peg
- Wood Species
- Diagonal peg (square only)





Pyramid Panel

- The panel is 1" thick
- Specify: Pyramid A or Pyramid B
- Sanded after assembly
- Available in MDF
- Minimum panel width is 6" x 6"
- Maximum panel length is 38" x 38"



Pyramid A- per panel
 Drawing shows an MRP-10 M039




Pyramid B- per panel
 Drawing shown as MRP-10 M039

Pyramid panel is available on most door styles.

Diamond Panel Rout- per panel

- Not available in any Oak, due to tear out.
- The diamond panel rout is currently available in the 1/2" C panel raise only.



Exterior Doors

- Option charge: per door, drawer front, or slab.
- Most door designs are available.
- Expect extended lead times as a special lead time will be applied.
- Finish is unavailable on all exterior products.
- Mullions are not available.

Material Available

- Pricing is through , special product pricing, SPP.
- Cambia- (Ash, Soft Maple, Poplar, and Red Oak, Iroko, Teak, Mahogany, Western Red Cedar).

What is Cambia and its benefits?

- May be the first truly green lumber resource that performs better and costs less than the alternative wood species and substitute products developed to replace wood.
- Cambia thermal modification process uses high heat in a controlled atmosphere.
- Improves durability and increases its dimensional stability.
- Natural color in the special drying process that provides a rich finished product that looks exotic without hurting the environment.
- Decay resistant- after drying process the wood no longer contains sufficient nutrients to support insect infestation or fungal infestation.
- Dimensional stability increased making it less susceptible to cupping and warping with changes in relative humidity.

Meridian Products' Exterior Door Warranty


- Exclusive to the workmanship only.
- Will not exceed 90 days from the time of invoice.
- We cannot control the environmental conditions that products will be exposed; to therefore, we will not warrant:
 - Color changes or any other changes in the woods' patina.
 - Cracking and splitting
- We encourage you to educate and inform your customer so they understand what can happen when wood is exposed to an outdoor environment.

Appliance Slot- per door


- Slot width is 1/2"
- No additional lead time
- Available with the following edges:
 - R2, AL2, GR2, ME, R3, CH2, PR2, H2, MER, B2, Colonial, Mod. Euro, M12, F2, OM, C2, C2 Raised, M2, V2, M4M, and Euro


Appliance Edge- per door


- Not available on mitered door designs.
- Lower dishwasher panels will be made as a 3/4" slab.
 - Minimum slab width= 3-1/2"
 - Minimum height of 5 piece door is 8-1/4"
- Larger framing is HIGHLY recommended with this option.


Appliance Panel Over Plywood- per door

- 1/4" thick material with a veneer applied to the back.
- Standard reveal is 1/2" on all sides, *specify other dimensions*.
- Appliance handle and/or hinge clearance should be considered when determining the reveal.
- When ordering, specify the following:
 - Overall dimensions including plywood.


Appliance Panel with Glue-In Strips- per door

- 1/4" thick strips applied flush with back.
- Standard reveal 1/2" on all sides, *specify other dimensions*.
- Appliance handle and/or hinge clearance should be considered when determining reveal.
- When ordering, specify the following:
 - Overall dimensions including glue-in strips.



| | |
|----|------------------------------------------------|
| 1 | SALES, CSR, ACCOUNTING |
| 2 | GENERAL INFORMATION |
| 3 | MATERIAL GRADES |
| 4 | WARRANTY & AGREEMENTS |
| 5 | TERMINOLOGY |
| 6 | WOOD PRICING & PRICING MATRIX |
| 7 | PROFILES (RAISE, EDGE & BEAD) |
| 8 | MORTISE & TENON DOORS |
| 9 | MDRF DOORS & DRAWER FRONTS |
| 10 | MORTISE & TENON NOTCHED DESIGNS |
| 11 | MITERED DOORS |
| 12 | APPLIED MOLDING DOORS |
| 13 | EVOLUTION |
| 14 | SKINNY SHAKER, EDGE BANDING, SLABS |
| 15 | MULLION & SPECIALTY DOORS |
| 16 | DOOR & DRAWER OPTIONS |
| 17 | FINISHING |
| 18 | DRAWER BOXES, STORAGE & FLOATING SHELVES |
| 19 | FRONT FRAMES |
| 20 | MOLDING, TURNINGS & CORBELS |
| 21 | SPECIALTY PRODUCTS |
| 22 | SALES TOOLS |
| 23 | NON-PUBLISHED DESIGNS |

FINISHING

Helpful Hints:

- Loose liquid finishing has a standard 5 day ship and a 3 day rush ship.
- Paint relief is a small gap between the frame and panel that allows paint under it so the paint will not bridge.
- Any slab 60" or less will be automatically finished on all surfaces.
- Any slab 60-1/16"+ will be questioned on how you would like to finish.
 - *(example: face & 1 long edge or finish all)*

ALL IN-HOUSE STANDARD PAINT AND STAIN PRODUCTS HAVE A 1 SQUARE FOOT MINIMUM CHARGE

ALL SCM PRODUCTS HAVE A 2 SQUARE FOOT MINIMUM CHARGE

- *Sheen Options are listed on page 17.5*

| PAINTS | LEAD TIMES | PER SQ. FOOT | WAINGSCOT |
|-----------------------------------------|------------|--------------|-----------|
| PAINT | 4 DAYS | --- | --- |
| SCM PAINT | 5 DAYS | --- | --- |
| HIGH (50 SHEEN)- ADDED TO ABOVE PRICING | | --- | --- |

| | | | | |
|----------|--------------|----------|-----------|------------|
| ★ AISLA | ★ DALTON | GRAPHITE | PORCELAIN | SANDSTONE |
| BLACK | FLINT | ★ MASON | POWDER | SKY |
| ★ CARSON | FROSTY WHITE | ★ NEVAEH | PUTTY | SOFT WHITE |
| COLONIAL | ★ GRACE | OVERCAST | SAGE | TRUE WHITE |

| PRIMERS | LEAD TIMES | PER SQ. FOOT | WAINGSCOT |
|-------------|------------|--------------|-----------|
| DOUBLE COAT | 4 DAYS | --- | --- |
| SINGLE COAT | 5 DAYS | --- | --- |

| | | | | |
|-------|------------|------------|---------------|-------------|
| BLACK | LIGHT BLUE | LIGHT GRAY | ★ LIGHT GREEN | ★ LIGHT TAN |
| WHITE | DARK BLUE | DARK GRAY | ★ DARK GREEN | ★ DARK TAN |

| FINISH COLLECTIONS | LEAD TIMES | PER SQ. FOOT | WAINGSCOT |
|--------------------|------------|--------------|-----------|
| PAINT & GLAZE | 7 DAYS | --- | --- |
| NATURE COLLECTION | 8 DAYS | --- | --- |

- Descriptions for the above collections can be found on *page 17.6*.

- Sheen Options are listed on page 17.5

| CLEAR COAT DRS/DFS | LEAD TIMES | PER SQ. FOOT | WAINSCOT |
|-----------------------------------------|------------|--------------|----------|
| CLEAR COAT | 2 DAYS | --- | --- |
| HIGH (50 SHEEN)- ADDED TO ABOVE PRICING | | --- | --- |

| STAINED DRS/DFS | LEAD TIMES | PER SQ. FOOT | WAINSCOT |
|-----------------|------------|--------------|----------|
| STAIN | 4 DAYS | --- | --- |
| STAIN SCM | 4 DAYS | --- | --- |

| | | | |
|----------|-----------|-----------|------------|
| AUTUMN | ★ COGNAC | ★ LATTE | ONYX |
| BAMBOO | DRIFTWOOD | LIME | PEANUT |
| BRAUN | DUSK | MOCHA | RUSSET |
| CIDER | ESPRESSO | ★ MOSCATO | ★ SNOWBALL |
| CINNAMON | HONEY | NUTMEG | WALNUT |

| GLAZE | LEAD TIMES | PER SQ. FOOT | WAINSCOT |
|-------|------------|--------------|----------|
| GLAZE | 4 DAYS | --- | --- |

| | | | | |
|---------|--------------|--------|----------|------------|
| BLACK | MEDIUM BROWN | PEWTER | SPICE | WARM BROWN |
| CARAMEL | PEARL | PITCH | VAN DYKE | WHITE |

MOLDINGS PRICE IS PER LINEAR FOOT

| | CLEAR | STAIN | SCM STAIN | PAINT | SCM PAINT | GLAZE | WAINSCOT |
|---------------|-------|-------|-----------|-------|-----------|-------|----------|
| MOLDING (ALL) | --- | --- | --- | --- | --- | --- | --- |

ORNAMENT PRICES- PER SQ FOOT

| | CLEAR | PRIME / STAIN | PAINT | GLAZE | COLLECTION |
|-------------------|---------|---------------|---------|----------|------------|
| CORBELS | 5 SQ FT | 5 SQ FT | 6 SQ FT | 13 SQ FT | 7 SQ FT |
| BUN FEET & BLOCKS | 3 SQ FT | 3 SQ FT | 3 SQ FT | 8 SQ FT | 4 SQ FT |
| LEGS & POSTS | 6 SQ FT | 6 SQ FT | 7 SQ FT | 15 SQ FT | 9 SQ FT |

| DRAWER BOX | CLEAR | STAINS | PAINT |
|------------------------|---------|---------|---------|
| 714 OR UNDER SQ INCHES | 3 SQ FT | 3 SQ FT | 3 SQ FT |
| 715 OR OVER SQ INCHES | 6 SQ FT | 6 SQ FT | 6 SQ FT |

When ordering, please specify any of the following options:

STANDARD SHEENS - MUST SELECT

- Clear or Stain: 5 - 15 - 35
- Paint: 5 - 20 - 35

HIGH GLOSS

- MDRF products must have inlaid panels to receive a high gloss
- Paint, Clear, or Stain: 50

STANDARD SHEEN W/GLAZE

- Still done as a conversion varnish
- Paint, Clear, Stain w/ Glaze: 30

FINISH OPTIONS

- Pre stain panel edge: per panel
- Prime panel before door assembly: per panel
- Shade back of door: per square foot
- Wains panels
 - Painted items will receive a single primer coat only on the back.
 - Stain items will be clear-coated on the back.
- Finished open louver doors is double the square foot charge, and a minimum of 7 sq. foot.
- Add one day lead time to all SCM colors.

MERIDIAN PRODUCTS FINISH COLLECTIONS

- These collections are in addition to our standard paint, stain, and glaze options.

NATURE INSPIRED COLLECTION

- This collection is composed of painted finishes with exact sanding and glaze. The color represents the wonders of nature around us providing earthly and gray tones.
 - Snow Drift
 - Antique bone

PAINT AND GLAZE

- The process for this color consists of a painted finish with a wipe on wipe off glaze technique.
 - Biltmore

PAINT AND GLAZE FOR VENEER AND SHEET GOODS

- This collection can be found on page 21.11 of our manual. This collection will provide you with the look of a glazed product without the worry of cracking or chipping when needing to cut or alter the product.

★ COLOR MATCHES TO OUR EVOLUTION SERIES 4 PERFECT MATTE

- The following color matches have been generated to allow painted items with our perfect matte series.
- The colors were matched through our polyurethane color paint process.
- Evolution products have a sheen that reads around 1.4%.
- The color matches are done at the lowest sheen, 5%, and cannot be altered.
- We highly recommend ordering samples to ensure customer satisfaction with the sheen difference.
 - Midnight Sun SCM 4069
 - Carte Blanche SCM 4070
 - Calm Sea SCM 4071
 - Black Noir..... SCM 4072
 - Vanilla Orchid SCM 4073
 - Eucalyptus SCM 4074

MERIDIAN PRODUCTS STAINED FINISH POLICIES, PROCEDURES, AND WARRANTIES

- Meridian Products uses custom formulated stains and glazes to achieve our desired finish color.
- Specific techniques and procedures are used at Meridian Products to achieve the desired appearance.
- Meridian Products is not responsible for customers who are unable to match our colors when not using our products or following our techniques and procedures.
- All products used by Meridian Products are available to be purchased to replicate our finish line.
- Meridian Products is not responsible for an application of any finish that is not applied by Meridian Products.
- Several of our standard stained items are toned to achieve the color consistency that is required for that color. Please consider this when attempting to match our standard or color matched finishes.
- Meridian Products only tones the face of a door or drawer to help achieve a uniform color. The back of those products will be a wipe on wipe off only process, and there may be a significant color variation from the face to the back of the items. Meridian Products offers a tone back of door as an upcharged option.
- Meridian Products only tones in house colors in the following species- Hard Maple, Cherry, White Oak. All other species are finished with a wipe on wipe off process.
- Meridian Products does not glaze or exact sand the back of our doors.
 - This option is available to you if desired with an upcharge.
- Meridian Products strongly recommends that our customers wait to finish their products upon the arrival of our items to your shop, as the wood color can have minor effects of the overall finish color.
- Blotchiness is not considered a defect on a stain finish product. Hardwoods, like Maple, have a significant tendency towards blotching due to their natural woodgrain. Since we consider woodgrain to be a unique characteristic of a piece of wood, we will not consider that uniqueness as a defect.

★ Meridian Products will not finish poplar. Due to extra needs on this species, we will not stain.

MERIDIAN PRODUCTS PAINTED FINISH POLICIES, PROCEDURES, AND WARRANTIES

- Meridian Products uses custom formulated paints and glazes to achieve our desired finish color.
- Specific techniques and procedures are used to achieve the desired appearance.
 - Meridian Products is not responsible for customers who are unable to match our colors when not using our products or following our techniques and procedures.
- All products used by Meridian Products are available to be purchased to replicate our finish line.
 - Meridian Products is not responsible for an application of any finish that is not applied by Meridian Products.
- Paint will have slight variations from job to job due to minor fluctuations of sheens within the painted formula mixtures.
 - Sheen will have effects on the overall color appearance of painted items.
- If you sell a product using a color chip or sample, and then place an order with a different sheen level than your sample, your customer should expect a slightly different appearing color.
- Meridian Products does not glaze or exact sand the back of our doors.
 - This option is available to you if desired with an upcharge.
- Due to the natural movement that occurs on all solid wood products, you should always expect a joint line between the stiles and rails of any glued-up product.
 - What might appear to be a crack in the paint is typically due to the natural expansion or contraction of the wood. A stile and rail joint meets with end grain bonded to edge grain.
 - The natural hygroscopic properties of wood cause these opposing grains to expand and contract with environmental conditions.
- Meridian Products applies glue, clamps, and pins to hold the joint in place as best as possible.
- Cracks are not normally evidence of a construction failure and as such will not be considered a defect.
 - It is your job to educate your clients that they should anticipate joint cracks and that they will not be considered defective.
- Meridian Products strongly recommends that customers DO NOT paint mitered doors and drawers.
 - Mitered doors will always show open or cracked looking joints.
- Meridian Products will not warranty any painted mitered products for finish cracking or joint separation. Finish cracking and / or joint separation may occur to products being produced at Meridian Products before we even ship them. These products will not be considered defective.
- Newly manufactured painted products will not necessarily match previously produced samples or orders.
- ★ Meridian Products will not finish poplar. Due to extra needs on this species, we will not paint.

PAINTED COLLECTION FINISH DISCLAIMER

- Meridian Products applies finishes that utilize a clear coated primer to achieve the proper looking color. Clear coated primers will age and "amber" more quickly than a top coated paint.
- Those colors are:
 - Antique Bone
 - Snow Drift
- Newly manufactured painted products will not necessarily match previously produced samples or orders.

GENERAL FINISHING & WARRANTY INFORMATION

- All finish pricing includes the proper amount of white wood sanding.
- Always expect some color variations from job to job due to the natural variations in wood.
 - We will make a concerted effort to consistently match our colors, but we will not guarantee absolute color matching under any circumstances.
- Meridian Products will not be liable for any color or sheen variations which may occur when our customer uses any purchased liquid finishes from Meridian Products.
- Meridian Products is not responsible for any damage or personal injury resulting from the use of any liquid finish purchased from Meridian Products.
- All liabilities arising from the use of any finishing products purchased from Meridian Products become the sole responsibility of the purchaser.
- Altering a finished product will void all finish warranties.
 - This includes respraying, cutting or sanding after the finish coat is applied.
- Glazed products that are cut are extremely susceptible to the glaze cracking or peeling off after alterations.
 - If you MUST alter a glazed product, it is highly recommended that you wait at least one week after receiving the product to ensure it is fully cured.

PAINTED AND PRIMED FINISH PROCESSES

Single Coat Primer

- All pieces are inspected for obvious defects such as voids and will be filled and sanded.
- A full coat of primer is applied to all sides of the item.
- A final inspection is done before packaging.

Expectations

- Surface roughness and minor voids may be present and will not be addressed by Meridian Products as those are not considered defects with only a single coat of primer.
- Scuff sanding will not be done to any products after they receive the single coat primer.
 - Expect to do that sanding at your shop before applying another coat.
 - We highly recommend scuff sanding within 24 hours of re-coating the products.
- Although most known products work with our primer, Meridian Products makes no guarantee that different brands will work.
 - We recommend that you do your own testing and research before finishing your job.

Double Coat Primer

- All pieces are inspected for obvious defects such as voids and will be filled and sanded.
- A full coat of primer is applied to all sides of the item.
- Pieces are then again inspected for voids and filled where necessary.
- Pieces are then scuff sanded on all sides.
- A second coat of primer is then applied to all sides.
- A final inspection is done before packaging.

Expectations

- Scuff sanding will not be done to any products after they receive the second coat primer.
 - Expect to do that sanding at your shop before applying any final coat.
 - We highly recommend scuff sanding within 24 hours of re-coating the products.
- Although most known products work with our primer, Meridian Products makes no guarantee that different brands will work.
 - We recommend that you do your own testing and research before finishing your job.

Painted Products

- All painted products receive the single coat primer process.
- Pieces are inspected for voids and filled where necessary.
- Pieces are scuff sanded on the face and edges.
- A second coat of primer is applied to face and edges.
- After the second coat of primer, the items are inspected for defects and voids.
- Final scuff sanding on the products is done on all sides.
- Paint is sprayed on all sides of the product(s).
- Final inspection is performed after the minimum cure time has passed.

Expectations

- Some minor dust particles are acceptable on the final products; most will be on the flat of a panel.
- Products will match on a single invoice.
- Products ordered on different invoices and at separate times may have minor color variations, which are acceptable.

STAINED AND GLAZED FINISH PROCESSES

Stained Products

- Stain may be applied by wiping, brushing, or spraying.
- Wet the surface with stain. Then use a cloth to wipe off all excess stain until you have a consistent color and good visibility of the wood grain.
- Some colors require toning using the same stain to achieve the desired color. Spray the stain on a light setting. Thinning the stain may help in the toning process.
- Complete the process with a clear sealer and topcoat.

Expectations

- Some minor dust particles are acceptable on the final products; most can be found on the flat of a panel.
- Products will match on a single invoice.
- Products ordered on different invoices and at separate times may have minor color variations due to the raw wood graining and color and is acceptable.

Process to Glaze-Stained Doors

- Follow all processes up to and including spraying the sealer.
- Let air dry for 45 minutes to an hour.
- Sand sealer both sides of the product using 320 grit sandpaper.
- Topcoat all sides and allow to properly dry between 100 - 120 minutes.
- Spray on glaze until entire side is covered.
 - Wipe off immediately after the glaze is applied using standard stain rags.
 - Greater pressure will retain less glaze.
- Let air dry at least two hours but no longer than a 24 hour period.
- Topcoat the glazed sides with chosen sheen.
- Allow to dry for two hours before doing any work or packaging to the product.

Glaze Hang Up

17

FINISHING

- Hang up will vary depending upon the profiles of the products ordered.
- Glaze is wiped clean from the product with the hang up remaining within the profiles.
- Not all profiles are conducive to holding glaze.
- Some pieces may appear to have limited or no glaze, when in reality the profile just does not accommodate the glaze hang up.
- All surfaces are glazed but the level of hang up is determined by the profiles selected.
- Too little or too much hang up on a product is subjective to the profiles and as such no warranty will be given on "Hang up".

SPECIAL COLOR MATCH (SCM)

- Meridian Products specializes in achieving custom colors to meet your finishing needs.
- Samples of both options below will be required to guarantee color approval.
- All colors will be given a color and sheen specific SCM number (Example: SCM 1234) for future ordering purposes.
- This number will be how Meridian Products recognizes your color.

SCM Process (Customer Supplied Color Sample)

- Contact your Customer Service Representative and inform them that you have a custom color need.
- They will send you an RGA & SCM order form; please fill out and send the color sample to Meridian Products.
- Do not send any samples to Meridian Products without an RGA.
- Special color matches are available in paints, stains, and glazed applications.
- Upon completion you will receive an accept/reject form with the sample item.
- You will need to return that form to Meridian Products with your approval or rejected notice.
- This form must be received by Meridian Products before any orders can be placed with your new color.
- If rejected, Meridian Products may agree that a second attempt could produce a better result.
- If we believe that a second color match could be better, it will be done at no charge to you, the customer.
- If we feel that the match is acceptable to our standards, a second match will be the responsibility of the customer.
- Meridian Products will only guarantee color match acceptability with products being purchased with the same sheen level as the approved matched.
- Please allow up to *three* weeks for the completion and delivery of your color match request.
- All SCM Process color matches will become inactive and invalid if not ordered after one year from the purchase of the last order.
- We highly recommend that every year you request an updated sample to ensure future orders' accuracy.
- This will be done free to you if you use the color often.
- Inactive colors cannot be reactivated- a new color match will need to be produced.

FAN DECK COLOR MATCH (ONLY SOLID PAINT COLORS BY PAINT VENDORS)

- You can request any standard color match by companies like **Benjamin Moore & Sherwin Williams** to be matched by Meridian Products.
- When ordering, using a Meridian Product order form, you must specify the official fan deck color name and identification number.
- We may request you to send us your fan deck to ensure accuracy.
- You may waive the opportunity to receive and approve a paint sample, upon signing a disclaimer to release Meridian Products responsibility if the color does not meet your expectations.
- Pages 17.14 to 17.18 are colors that have already been matched and approved by a customer.
- You are welcome to utilize those colors without a color match fee being needed.

COST OF SCM (ALL NET)

- Custom Paint or Stain SCM Process - contact CSR
 - Paint will be on a 10" x 10-1/2" MDF Slab & Stain will be on 12" x 15" Door
- Fan Deck color with Sample - contact CSR
 - Paint will be on a 10" x 10-1/2" MDF Slab
- Fan Deck color *without sample* - contact CSR
 - Paint sample will be produced for Meridian Products only
- Specialized SCM (glazed, exact sanding, etc.) - contact CSR
 - Sample will be sent on 12" x 15" sample door
- Mixing fee cost -per order placement for any colors other than Meridian Products standard color options. This includes pre-existing fan deck color options.

The following pages 17.14 - 17.18 are color matches that have been done by Meridian Products.

They will follow the guidelines listed below:

- All colors listed here have been approved to match the color provided to us by one of our customers.
- The match was determined by them to be an acceptable match to their fan deck or sample.
- Meridian Products makes no guarantee that the color will match perfectly to any other fan deck or sample.
- Meridian Products highly recommends that you receive a sample before placing your full order to ensure it meets your expectations.
- If the color does not match your expectations you should order your own color match.
 - Ensure you send in a sample of your fan deck or swatch with desired color.
- SCM Colors cannot be altered or changed.

Colors are listed by Fan deck type: **Benjamin Moore**

 Colors are split by: **COLOR CODE / COLOR NAME / MP SCM#**

| | | | | | |
|------|------------------------|----------|------|----------------------|----------|
| 345 | WINTER SUNSHINE | SCM 4086 | 1468 | WILLOW CREEK | SCM 4021 |
| 461 | ROSE PINE | SCM 4012 | 1472 | SILVER CHAIN | SCM 4049 |
| 465 | ANTIQUE JADE | SCM 2847 | 1473 | GRAY HUSKIE | SCM 2641 |
| 468 | CAMBRIDGE GREEN | SCM 3441 | 1474 | CAPE MAY COBBLESTONE | SCM 3550 |
| 475 | GALAPAGOS GREEN | SCM 4052 | 1502 | CHEYENNE GREEN | SCM 4033 |
| 567 | BALSAM | SCM 3678 | 1510 | DRIED BASIL | SCM 4034 |
| 624 | BATH SALTS | SCM 2209 | 1521 | NATURE'S ESSENTIALS | SCM 3269 |
| 630 | MARTHA'S VINEYARD | SCM 3664 | 1535 | SEATTLE MIST | SCM 2699 |
| 704 | DEL MAR BLUE | SCM 2601 | 1542 | HIMALAYAN TREK | SCM 4108 |
| 707 | CALICO BLUE | SCM 3700 | 1544 | WAYNESBORO TAUPE | SCM 1798 |
| 721 | VANDERBERG BLUE | SCM 3696 | 1548 | CLASSIC GRAY | SCM 2791 |
| 790 | BAYBERRY BLUE | SCM 1692 | 1549 | BALBOA MIST | SCM 4007 |
| 805 | NEW YORK STATE OF MIND | SCM 2894 | 1566 | STONYBROOK | SCM 2726 |
| 808 | SAPPHIRE ICE | SCM 3680 | 1584 | PALE SMOKE | SCM 3689 |
| 826 | STUNNING | SCM 3278 | 1585 | WALES GRAY | SCM 2602 |
| 840 | KENSINGTON BLUE | SCM 3391 | 1594 | SHAKER GRAY | SCM 2165 |
| 858 | ATHENA | SCM 2893 | 1602 | GUNMETAL | SCM 2450 |
| 859 | COLLINGWOOD | SCM 3094 | 1604 | SILVERY MOON | SCM 3743 |
| 864 | OYSTERSHELL | SCM 3555 | 1606 | COBBLESTONE PATH | SCM 4041 |
| 869 | OXFORD WHITE | SCM 2329 | 1611 | GRAY TINT | SCM 2930 |
| 876 | ALABASTER | SCM 3256 | 1609 | TEMPTATION | SCM 3735 |
| 909 | ANTIQUE WHITE | SCM 1941 | 1619 | SILVER MIST | SCM 4028 |
| 912 | LINEN WHITE | SCM 1336 | 1621 | LITTLE FALLS | SCM 4040 |
| 925 | IVORY WHITE | SCM 4032 | 1622 | MINERAL ALLOY | SCM 2956 |
| 927 | WHITE SWAN | SCM 3685 | 1625 | BLUE LACE | SCM 3754 |
| 942 | MARBLE WHITE | SCM 4030 | 1626 | GENTLE GRAY | SCM 3554 |
| 943 | SPANISH WHITE | SCM 4031 | 1629 | BACHELOR BLUE | SCM 3271 |
| 953 | FEATHER DOWN | SCM 4011 | 1636 | PROVIDENCE BLUE | SCM 2901 |
| 961 | SEAPEARL | SCM 2685 | 1656 | ASPEN SKIES | SCM 4065 |
| 973 | ICE FORMATIONS | SCM 2136 | 1663 | NEW BORN'S EYES | SCM 1947 |
| 974 | MUSKOKA TRAIL | SCM 2134 | 1664 | SEA REFLECTIONS | SCM 4020 |
| 984 | STONE HEARTH | SCM 4047 | 1666 | IN THE MIDNIGHT HOUR | SCM 3512 |
| 990 | HAMPSHIRE TAUPE | SCM 2968 | 1680 | HUDSON BAY | SCM 3071 |
| 1021 | LONG VALLEY BIRCH | SCM 3697 | | | |
| 1156 | PUPPY PAWS | SCM 4081 | | | |
| 1464 | LIGHT PEWTER | SCM 3250 | | | |
| 1465 | NIMBUS | SCM 4045 | | | |
| 1467 | BALTIC GRAY | SCM 2292 | | | |

Colors are listed by Fan deck type: **Benjamin Moore**

Colors are split by: **COLOR CODE / COLOR NAME / MP SCM#**

| | | | | |
|---------|--------------------|----------|---------------------------|----------|
| 2014-30 | TANGY ORANGE | SCM 3002 | AC-17 SEA PINE | SCM 2726 |
| 2034-30 | GRASSY FIELDS | SCM 4044 | AC-24 CHARLOTTE SLATE | SCM 2901 |
| 2041-10 | HUNTER GREEN | SCM 2873 | AC-25 HARBOR GRAY | SCM 4049 |
| 2035-10 | SEAWEED | SCM 3733 | AC-26 OZARK SHADOWS | SCM 2641 |
| 2057-50 | TURQUOISE POWDER | SCM 2513 | AC-29 SAN ANTONIO GRAY | SCM 2292 |
| 2060-10 | SYMPHONY BLUE | SCM 2788 | AC-30 WINTER GATES | SCM 4021 |
| 2061-30 | BERMUDA BLUE | SCM 3660 | AC-34 CAPE HATTERAS SAND | SCM 4108 |
| 2063-10 | OLD NAVY | SCM 3422 | AC-36 SHENANDOAH TAUPE | SCM 1798 |
| 2108-60 | ABALONE | SCM 2737 | AC-41 ACADIA WHITE | SCM 4032 |
| 2119-10 | SPACE BLACK | SCM 4018 | AC-42 GRAND TETON WHITE | SCM 3685 |
| 2120-10 | JET BLACK | SCM 3088 | | |
| 2121-40 | SILVER HALF DOLLAR | SCM 4091 | | |
| 2121-60 | WHITE DIAMOND | SCM 4039 | AF-15 STEAM | SCM 4063 |
| 2121-70 | CHANTILLY LACE | SCM 2159 | AF-50 ETIQUETTE | SCM 2354 |
| 2123-50 | OCEAN AIR | SCM 3569 | AF-70 BATTENBERG | SCM 3685 |
| 2124-10 | WROUGHT IRON | SCM 2846 | AF-100 PASHMINA | SCM 3639 |
| 2125-20 | DEEP SPACE | SCM 2725 | AF-400 ELEMENTAL | SCM 3673 |
| 2125-70 | WEDDING VEIL | SCM 4078 | AF-435 SPA | SCM 2217 |
| 2126-60 | GRAY CLOUD | SCM 3666 | AF-550 AMSTERDAM | SCM 3695 |
| 2126-70 | CHALK WHITE | SCM 2821 | AF-555 MONTPELIER | SCM 3737 |
| 2128-30 | EVENING DOVE | SCM 3675 | AF-560 FLINT | SCM 2558 |
| 2129-30 | BLUE NOTE | SCM 3452 | AF-670 NIGHTINGALE | SCM 2629 |
| 2131-60 | SILVER GRAY | SCM 4068 | AF-680 WISH | SCM 2630 |
| 2132-10 | BLACK | SCM 3665 | | |
| 2132-70 | MINERAL ICE | SCM 3778 | | |
| 2133-20 | BLACK JACK | SCM 3369 | CC-130 IVORY WHITE | SCM 4032 |
| 2139-30 | SHARKSKIN | SCM 4050 | CC-20 DECORATOR'S WHITE | SCM 1858 |
| 2140-30 | DARK OLIVE | SCM 3742 | CC-30 OXFORD WHITE | SCM 2329 |
| 2141-70 | VANILLA MILKSHAKE | SCM 1908 | CC-40 CLOUD WHITE | SCM 1752 |
| 2142-40 | DRY SAGE | SCM 4051 | CC-50 WHITE DOWN | SCM 3289 |
| 2142-60 | NOVEMBER RAIN | SCM 3728 | CC-396 STONE CASTLE | SCM 2968 |
| 2143-70 | SIMPLY WHITE | SCM 1936 | CC-490 STONE HEARTH | SCM 4047 |
| 2145-70 | COTTON BALLS | SCM 1846 | CC-518 ESCARPMENT | SCM 4021 |
| 2152-70 | MAYONNAISE | SCM 3446 | CC-600 MOSSY OAK | SCM 4052 |
| | | | CC-634 HERBES DE PROVENCE | SCM 4034 |
| | | | CC-728 MAID OF THE MIST | SCM 2847 |
| | | | CC-780 KENSINGTON BLUE | SCM 3391 |
| | | | CC-810 HUDSON BAY | SCM 3071 |
| | | | CC-870 JET BLUE | SCM 3278 |
| | | | CC-878 H20 | SCM 3680 |

Colors are listed by Fan deck type: **Benjamin Moore**

Colors are split by: **COLOR CODE / COLOR NAME / MP SCM#**

| | | |
|---------|-------------|----------|
| CSP-95 | SEA SALT | SCM 4094 |
| CSP-545 | SHEER BLISS | SCM 3620 |
| CSP-670 | SILKEN BLUE | SCM 3763 |
| CSP-750 | PORCH SWING | SCM 3744 |

| | | |
|--------|-----------------|----------|
| CW-60 | COLE STONE | SCM 3667 |
| CW-140 | TIMSON SAND | SCM 2628 |
| CW-630 | WASHINGTON BLUE | SCM 2439 |

| | | |
|--------|------------------|----------|
| EXT.RM | CLASSIC BURGUNDY | SCM 3003 |
| EXT.RM | CHROME GREEN | SCM 3312 |

| | | |
|--------|---------------------|----------|
| HC-27 | MONTEREY WHITE | SCM 3685 |
| HC-86 | KINGSPORT GRAY | SCM 4042 |
| HC-87 | ASHLEY GRAY | SCM 1798 |
| HC-111 | NANTUCKET GRAY | SCM 4033 |
| HC-114 | SAYBROOK SAGE | SCM 4036 |
| HC-126 | AVON GREEN | SCM 3441 |
| HC-133 | YORKTOWNE GREEN | SCM 3696 |
| HC-139 | SALISBURY GREEN | SCM 4035 |
| HC-141 | HOLLINGSWORTH GREEN | SCM 2219 |
| HC-142 | STRATTON BLUE | SCM 2601 |
| HC-153 | MARLBORO BLUE | SCM 4065 |
| HC-154 | HALE NAVY | SCM 2298 |
| HC-155 | NEWBURYPORT BLUE | SCM 2295 |
| HC-156 | VAN DUESEN BLUE | SCM 2683 |
| HC-166 | KENDALL CHARCOAL | SCM 2635 |
| HC-168 | CHELSEA GRAY | SCM 2111 |
| HC-170 | STONINGTON GRAY | SCM 2288 |
| HC-171 | WICKHAM GRAY | SCM 3555 |
| HC-172 | REVERE PEWTER | SCM 2136 |
| HC-182 | CLASSIC BURGUNDY | SCM 3003 |
| HC-189 | CHROME GREEN | SCM 3312 |
| HC-190 | BLACK | SCM 3665 |

| | | |
|--------|-------------------|----------|
| INT.RM | LINEN WHITE | SCM 1336 |
| INT.RM | WHITE DOVE | SCM 1464 |
| INT.RM | SUPER WHITE | SCM 1523 |
| INT.RM | DECORATOR'S WHITE | SCM 1858 |
| INT.RM | ANTIQUE WHITE | SCM 1941 |
| INT.RM | CHINA WHITE | SCM 2388 |
| INT.RM | WHITE | SCM 4037 |
| OC-6 | FEATHER DOWN | SCM 4011 |
| OC-9 | BALLET WHITE | SCM 2134 |
| OC-14 | NATURAL CREAM | SCM 3269 |
| OC-17 | WHITE DOVE | SCM 1464 |
| OC-19 | SEAPEARL | SCM 2388 |
| OC-20 | PALE OAK | SCM 2893 |
| OC-23 | CLASSIC GRAY | SCM 2791 |
| OC-27 | BALBOA MIST | SCM 4007 |
| OC-28 | COLLINGWOOD | SCM 3094 |
| OC-31 | FOG MIST | SCM 2685 |
| OC-34 | MARBLE WHITE | SCM 4030 |
| OC-35 | SPANISH WHITE | SCM 4031 |
| OC-38 | ACADIA WHITE | SCM 4032 |
| OC-45 | SWISS COFFEE | SCM 3151 |
| OC-50 | NOVEMBER RAIN | SCM 3728 |
| OC-57 | WHITE HERON | SCM 2329 |
| OC-59 | VANILLA MILKSHAKE | SCM 1908 |
| OC-61 | WHITE DIAMOND | SCM 4039 |
| OC-65 | CHANTILLY LACE | SCM 2159 |
| OC-75 | PRISTINE | SCM 4081 |
| OC-83 | ANTIQUE WHITE | SCM 1941 |
| OC-85 | MAYONNAISE | SCM 3446 |
| OC-117 | SIMPLY WHITE | SCM 1936 |
| OC-122 | COTTON BALLS | SCM 1846 |
| OC-129 | ALABASTER | SCM 3256 |
| OC-130 | CLOUD WHITE | SCM 1752 |
| OC-131 | WHITE DOWN | SCM 3289 |
| OC-132 | GRAND TETON WHITE | SCM 3685 |
| OC-141 | CHINA WHITE | SCM 2388 |
| OC-145 | atrium white | SCM 3256 |
| OC-146 | linen white | SCM 1336 |
| OC-149 | decorator's white | SCM 1858 |
| OC-151 | white | SCM 4037 |
| OC-152 | super white | SCM 1523 |

Colors are listed by Fan deck type: **Benjamin Moore**

Colors are split by: **COLOR CODE / COLOR NAME / MP SCM#**

| | | |
|-------|-------------------|----------|
| PM-1 | SUPER WHITE | SCM 1523 |
| PM-2 | WHITE | SCM 4037 |
| PM-3 | DECORATOR'S WHITE | SCM 1858 |
| PM-9 | BLACK | SCM 3665 |
| PM-10 | CHROME GREEN | SCM 3312 |
| PM-13 | atrium white | SCM 3256 |
| PM-17 | CLASSIC BURGUNDY | SCM 3003 |
| PM-19 | WHITE DOVE | SCM 1464 |
| PM-20 | CHINA WHITE | SCM 2388 |
| PM-22 | ANTIQUE WHITE | SCM 1941 |
| PM-28 | LINEN WHITE | SCM 1336 |

Colors are listed by Fan deck type: **Sherwin Williams**

Colors are split by: **COLOR CODE / COLOR NAME / MP SCM#**

| | | |
|------|---------------------|----------|
| 0031 | DUTCH TILE BLUE | SCM 3785 |
| 0064 | BLUE PEACOCK | SCM 3721 |
| 0068 | COPEN BLUE | SCM 3661 |
| 2704 | MERLOT | SCM 4064 |
| 2839 | ROYCROFT COPPER RED | SCM 3669 |
| 6001 | GRAYISH | SCM 3750 |
| 6066 | SAND TRAP | SCM 2396 |
| 6119 | ANTIQUE WHITE | SCM 2675 |
| 6141 | SOFTER TAN | SCM 3693 |
| 6148 | WOOL SKEIN | SCM 3335 |
| 6179 | ARTICHOKE | SCM 3402 |
| 6185 | ESCAPE GRAY | SCM 3192 |
| 6186 | DRIED THYME | SCM 3756 |
| 6204 | SEA SALT | SCM 2872 |
| 6207 | RETREAT | SCM 2991 |
| 6217 | TOPSAIL | SCM 3682 |
| 6218 | TRADEWIND | SCM 3683 |
| 6230 | RAINSTORM | SCM 3748 |
| 6244 | NAVAL | SCM 2715 |
| 6247 | KRYPTON | SCM 2871 |
| 6250 | GRANITE PEAK | SCM 3558 |
| 6251 | OUTERSPACE | SCM 2870 |
| 6253 | OLYMPUS WHITE | SCM 3736 |
| 6385 | DOVER WHITE | SCM 1865 |
| 6426 | BASQUE GREEN | SCM 4023 |
| 6520 | HONEST BLUE | SCM 3783 |
| 6522 | SPORTY BLUE | SCM 3681 |
| 7005 | PURE WHITE | SCM 2890 |
| 7006 | EXTRA WHITE | SCM 2899 |
| 7008 | ALABASTER | SCM 2420 |
| 7012 | CREAMY | SCM 4013 |
| 7014 | EIDER WHITE | SCM 2687 |
| 7015 | REPOSE GRAY | SCM 4001 |
| 7036 | ACCESSIBLE BEIGE | SCM 2638 |
| 7037 | BALANCED BEIGE | SCM 3022 |
| 7038 | TONY TAUPE | SCM 3405 |
| 7042 | SHOJI WHITE | SCM 3440 |
| 7046 | ANONYMOUS | SCM 3139 |
| 7057 | SILVER STRAND | SCM 2979 |

| | | |
|------|-----------------------|----------|
| 7069 | IRON ORE | SCM 3428 |
| 7101 | FUTON | SCM 4057 |
| 7513 | SANDERLING | SCM 3779 |
| 7542 | NATUREL | SCM 3261 |
| 7551 | GREEK VILLA | SCM 3295 |
| 7556 | CRÈME | SCM 4024 |
| 7558 | MEDICI IVORY | SCM 3753 |
| 7570 | EGRET WHITE | SCM 3442 |
| 7575 | CHOPSTICKS | SCM 4025 |
| 7600 | BOLERO | SCM 4022 |
| 7602 | INDIGO BATIK | SCM 3406 |
| 7624 | SLATE TILE | SCM 3470 |
| 7636 | ORIGAMI WHITE | SCM 2938 |
| 7651 | FRONT PORCH | SCM 3589 |
| 7663 | MONORAIL SILVER | SCM 3734 |
| 7666 | FLEUR DE SEL | SCM 3099 |
| 7671 | ON THE ROCKS | SCM 3621 |
| 7674 | PEPPERCORN | SCM 2992 |
| 7749 | LAUREL WOODS | SCM 4075 |
| 7757 | HIGH REFLECTIVE WHITE | SCM 2841 |
| 9022 | TELOW BIRD | SCM 4076 |
| 9041 | PARISIAN PATINA | SCM 3738 |
| 9109 | NATURAL LINEN | SCM 3600 |
| 9128 | GREEN ONYX | SCM 3395 |
| 9130 | EVERGREEN FOG | SCM 3228 |
| 9138 | STARDEW | SCM 3500 |
| 9139 | DEBONAIR | SCM 4016 |
| 9141 | WATERLOO | SCM 4017 |
| 9168 | ELEPHANT EAR | SCM 3400 |
| 9177 | SALTY DOG | SCM 4053 |
| 9178 | IN THE NAVY | SCM 3091 |
| 9180 | AGED WHITE | SCM 3649 |
| 9581 | COTTON | SCM 4059 |
| 9650 | SUCCULENT | SCM 4003 |
| 9678 | HOLLY GLEN | SCM 4098 |
| 9682 | SILENT RIPPLE | SCM 4099 |
| 9685 | AFTER THE STORM | SCM 3668 |

All pint, quart, and gallon prices are NET. Mixing ratios can be found on pages 17.21.

LOW COMPLEXITY PRIMER- LIGHT BLUE, LIGHT GRAY, LIGHT GREEN, LIGHT TAN, DARK TAN, WHITE

| PINT | QUART | GALLON |
|------|-------|--------|
| --- | --- | --- |

HIGH COMPLEXITY PRIMER- BLACK, DARK BLUE, DARK GREEN, DARK TAN

| PINT | QUART | GALLON |
|------|-------|--------|
| --- | --- | --- |

LOW COMPLEXITY PAINT- AISLA, BLACK, CARSON, DALTON, GRACE, GRAPHITE

| PINT | QUART | GALLON |
|------|-------|--------|
| --- | --- | --- |

HIGH COMPLEXITY PAINT- COLONIAL, FLINT, FROSTY WHITE, MASON, NEVAEH, OVERCAST, PORCELAIN, POWDER, PUTTY, SAGE, SANDSTONE, SKY, SOFT WHITE, TRUE WHITE

| PINT | QUART | GALLON |
|------|-------|--------|
| --- | --- | --- |

LOW COMPLEXITY STAIN- AUTUMN, BAMBOO, CINNAMON, DUSK, MOSCATO, PEANUT, SNOWBALL

| PINT | QUART | GALLON |
|------|-------|--------|
| --- | --- | --- |

MID COMPLEXITY STAIN- BRAUN, COGNAC, DRIFTWOOD, FOG, LIME, MOCHA, NUTMEG, ONYX, RUSSET

| PINT | QUART | GALLON |
|------|-------|--------|
| --- | --- | --- |

HIGH COMPLEXITY STAIN- CIDER, ESPRESSO, HONEY, WALNUT

| PINT | QUART | GALLON |
|------|-------|--------|
| --- | --- | --- |

All pint, quart, and gallon prices are NET. Mixing ratios can be found on pages 17.21.

GLAZE- ALL GLAZES

| PINT | QUART | GALLON |
|------|-------|--------|
| --- | --- | --- |

SEALER

| PINT | QUART | GALLON |
|------|-------|--------|
| --- | --- | --- |

CLEAR TOPCOAT

| PINT | QUART | GALLON |
|------|-------|--------|
| --- | --- | --- |

HARDENER- 5 LITER MERIDIAN TRUCK, 1 GALLON FREIGHT OR UPS

| PINT | QUART | GALLON |
|------|-------|--------|
| NA | NA | --- |

THINNER

| PINT | QUART | GALLON |
|------|-------|--------|
| NA | NA | --- |

SLOW THINNER (RETARDER)

| PINT | QUART | GALLON |
|------|-------|--------|
| NA | NA | --- |

PRODUCTION PREPARATION AND MIXING RATIOS

Hardener- *by volume*

SealerAdd 50%
 Top CoatAdd 50%
 White PrimerAdd 50%
 Dark PrimersAdd 75%
 PaintAdd 55%

Thinner

All CoatingsAdd 10-30%

- Add hardener to base and stir thoroughly.
- Add thinner as necessary. Check and record viscosity for repeatable results.
- Thinner added can be either (Regular) Thinner, Slow Thinner, or a blend of the two. This will depend on your shop conditions and what works best for the finisher.
- Once hardener is added to base, "Pot Life" is started. All products have a pot life of 3-4 hours before the coating starts to thicken and is unusable.
- Constantly agitating coating will maximize pot life.
- Training is available from Meridian Products for use of products.

| Sealer / Primer / Clear Topcoat | Ounces | | | | % Added Volume |
|---------------------------------|-------------|-------------|--------------|------------------|----------------|
| | Quart | 1/2 Gallon | Gallon | Simplest Formula | |
| Base | 18 | 36 | 72 | 10 | 100% |
| Hardener | 9 | 18 | 36 | 5 | 50% |
| Thinner (20%) | 3.6 | 7.2 | 14.4 | 2 | 20% |
| Total | 30.6 | 61.2 | 122.4 | 17 | 170% |



All Materials can be thinned 10%-30%. Use regular thinner/slow thinner or blend as necessary. Shop environment, gun setup and personal preference will determine what works best. Mixing examples show 20% thinned recipe.

| PAINT | Ounces | | | | % Added Volume |
|---------------|-------------|------------|------------|------------------|----------------|
| | Quart | 1/2 Gallon | Gallon | Simplest Formula | |
| Base | 18 | 36 | 72 | 10 | 100% |
| Hardener | 9.9 | 19.8 | 39.6 | 5.5 | 55% |
| Thinner (20%) | 3.6 | 7.2 | 14.4 | 2 | 20% |
| Total | 31.5 | 63 | 126 | 17.5 | 175% |

Hazardous shipping charges apply to all liquid finish shipments:

- Cost per common carrier or ground order
- Cost per Meridian Products truck order

DRAWER BOXES, STORAGE & FLOATING SHELVES



- Available in 5/8" and 3/4" thick, solid hard wood.
- Ordering your drawer box height in 1/8" or 5/8" increments will yield the better visual and structural result.
- Standard "top edge" profile is 1/8" radius edge with a visible 1/8" groove at all four corners.
- Outdoor wood is possible, just not Cambia.
- Other species are possible, priced through custom pricing.

| MATERIAL COST FOR SIDES, FRONT, & BACK. PRICES ARE PER SQUARE INCH. | NATURAL | | REGULAR |
|------------------------------------------------------------------------|---------------|-----|---------|
| | 5/8 | 5/8 | 5/8 |
| AMERICAN BEECH | --- | | N/A |
| CHERRY | --- | | --- |
| HARD MAPLE | ---(STANDARD) | | --- |
| RED OAK | N/A | | --- |
| SOFT MAPLE | --- | | --- |
| WALNUT | --- | | SPP |
| WHITE BIRCH | --- | | --- |

| DRAWER BOTTOM | COST PER SQ FOOT |
|-----------------------|------------------|
| 1/4" CHERRY | --- |
| 3/8" CHERRY | --- |
| 1/4" HARD WHITE MAPLE | --- |
| 3/8 HARD WHITE MAPLE | --- |
| 1/4" RED OAK | --- |
| 3/8" RED OAK | --- |
| 1/4" RC MAPLE/BIRCH | --- |
| 3/8" RC MAPLE/ BIRCH | --- |
| 1/4" WALNUT | --- |

Size Options:

Minimum Width: 6"

Minimum Depth: 7"

Minimum Height: 2-1/8"

Maximum Width: 55"

Maximum Depth: 36-1/2"

Maximum Height: 18-1/8"

Any Height over 18-3/16": Butt & Screw

Meridian Products Drawer Boxes

- Meridian Products offers a limited lifetime warranty on drawer boxes.
 - Warranty is guaranteed to our original customer for the original homeowner.
 - Any alterations made, not by Meridian Products, will void warranty.
 - Lifetime warranty is for drawer box only; it does not include labor or supplies.
 - Defects caused by neglect or improper use or installation will void warranty.

Regular Drawer Box Material Specifications

- Regular drawer box material will have a uniform color and grain match.
 - Cracks, checking or shake are not permitted.
 - Mineral streaks will be limited.
 - Stain, vine marks, worm track, tiger stripe and curly grain must blend with surrounding color and grain and should not be a focal point.
- Front & Back will be regular grade on the inside of the box.
- Sides of box will be regular grade material on the outside of the box.
- Select grade face option is additional.
- Bottom quality will remain the standard offering.

Drawer Box Assembly

- Assembled & Sanded option is per box.

Oversized Drawer Boxes


- Oversized in depth and/or width may increase lead time.
- Over 38" deep and/or 42" wide is an additional.
- Heights over 15" are in 1" increments with 18" max.

Finishing


- Minimum charge is per 3 sq. feet- *See pages 17.3 & 17.4*
- Options include Clear (seal & varnish), Stain, or Paint- *See pages 17.3 & 17.4*.
- Items over 714 sq. inches will be charged with 6 sq. foot minimum.
- High gloss is an upcharge.

Custom Top Edge Profiles


- Profiles are shaped after the box is assembled leaving no open joints at corners.



Custom 1/8" Radius
additional per box



Custom 1/4" Radius
additional per box



Custom Square w/ broken edge
additional per box

Custom Laser Engraving

- Please send the requested logo via an electronic copy of your logo in 300 DPI or greater resolution.

Option Pricing

- Additional per laser logo
- Additional per deep laser logo
 - This option gives it a deeper and darker look.

Laser Logo Specifications

- Locations: *please specify when ordering*
 - Inside Right is standard
 - Outside Left is standard
- Standard size parameter is 2" H or 4" W, *whichever comes first*.
 - Laser logos will need custom pricing
- Multiple logos on file, *please ensure you specify logo name per order*.

Inside Logo

3-5/8" - minimum height
 5-1/4" - maximum width

Outside Logo

2-5/8" - minimum height
 8-1/4" - maximum width

Blum Tandem Locking Devices

- Locks will come installed.
- Option price is per pair.


T51.1801


cost is per box




T51.1901PS

cost is per box





BREAD BOX SLIDING LID


- Option price cost per box
- 1/4" thick clear plastic lid
- Flush finger pull is nickel finished, 3/4" diameter x 1/4" deep
- Sliding lid is down 1/4" from top of the drawer side
- 1/4" radius top *not* available


ROLL OUT DRAWER BOX WITH EXTENDED SIDES OF FACE


- Options price cost per box
- Face is extended 7/16" past side
- Dovetail construction
- Edges of face are rounded over
- Finger pull option available


NOTCH FOR UNDERMOUNTED DRAWER TRACK


- Front and Back Notch (2-1/2" W)
- Added cost per box per side (front/back)
- Minimum depth - 10"
 - 1-3/8", minimum box width 5" = \$\$
 - 1-3/4", minimum box width 5-3/4" = \$\$
 - 1-15/16", minimum box width 5-3/4" = \$\$
 - 2-1/2", minimum box width 7-1/4" = \$\$
 - 2-9/16" or above, minimum box width 11-1/4" = \$\$


FINGER PULLS

- Added cost per box
- Minimum is 2-5/8" on the height
- If adjustable dividers are required *please specify*:
 - Should dividers be cut down to be flush with finger pull height or remain height of drawer box.


OVERLAID FLUSH BOTTOM

- No additional charge
- Glue & Tack, up to 2-15/16" H
- Glue & Staple @ 2-3/8" H


INLAID FLUSH BOTTOM

- Cost is per box



CHASE DRAWER BOX


Pricing

- Design Charge, for normal sizes- \$\$\$
- Over 38" deep and/or under 42" wide will be special priced.
- Finish Pricing see *Page 17.3 & 17.4*.

Specifications

- All species available
- 2-1/8" minimum height
- 18" maximum height
- Minimum chase depth & width sizes is 5"
- Minimum width between back of drawer front & front of chase is 5"
- Width & Depth are customizable
- Supply Width of chase & Depth of interior chase opening, along with the flats on each side.
 - *(drawings are highly recommended)*
- Max size is 60" deep.
- Available with or without finish.





SCOOP DRAWER BOX

- Option Price: per box

Specify the following


- Depth of cut
- Height of cut
- Label front and back of box, drawing required
- Minimum 3" side for side logo to fit


REMOVABLE, ADJUSTABLE DIVIDERS

- Up to 3 dividers: \$\$
- \$\$ for each additional divider
- Dividers 5/8" thick

When ordering, specify:

- Quantity of dividers front to back
- Quantity of dividers side to side, *no inside logo or nameplate for this option.*



DOCKING STATION DRAWER BOX

- Minimum height: 4 5/8"
- Fixed depth: 21"
- Standard dimensions: 5-1/8" H x 20" W x 21" D
- 5/8" solid hardwood sides, Hard White Maple
- 1/4" or 3/8" bottoms
- Power dock cutout: 6" x 2-1/4" fixed
- Power supply inside dimension: 11" standard

sized using dimensions from:

www.dockingdrawer.com

COFFEE POD ORGANIZER



Unfinished pricing

- Up to 19-1/2" W= \$\$\$
- Over 19-1/2" W= \$\$\$
- Price includes hardware, cutlery tray, drawer box & K-cup tray
- Finished pricing, 10 sq. feet, *see 17.3 & 17.4*

When ordering, specify:

- Width
- Finished or unfinished

Standard specifications


- Minimum height is 4-5/8"
- Regular Hard White Maple, other species require custom pricing.
- 1/4" birch plywood bottom
- Designed to fit inside a standard drawer

Number of cups

- Holes are 1.710" diameter, 1/2" minimum between holes
- 1/4" minimum from hole to inside of cutlery tray

Box width= #of rows of holes

- 9-7/8"- 12" = 3 rows
- 12-1/8" - 14-1/8" = 4 rows
- 14-1/4" - 16-3/8" = 5 rows
- 16-1/2" - 18-5/8" = 6 rows
- 18-3/4" - 20-7/8" = 7 rows
- 21" - 23-1/8" = 8 rows




PAPER TOWEL PULLOUT

- Finish, 6 sq. foot minimum
- Std height: 8-1/8"
- Std depth: 21"
- Std width: 14-5/8"
- 5/8" solid hardwood sides:
 - Hard White Maple
 - Natural Soft Maple
 - Natural Cherry
- 1/4" or 3/8" bottoms

When ordering, specify:


- Species
- Bottom thickness
- Finished or unfinished, per 10 sq feet *see 17.3 & 17.4*
- Dowels- maple only


FILE DRAWER BOX

- Minimum height is 10-1/4"
- Minimum width letter size is 14-1/2"
- Minimum width legal size is 17-1/2"
- 5/8" solid hardwood sides
 - Hard White Maple
 - Natural Soft Maple
 - Natural Cherry
- Aluminum slide included

When ordering, specify:

- Species
- Bottom thickness, 1/4" or 3/8"
- Height, width, depth
- Finished or unfinished, 3 sq. feet, *see 17.3 & 17.4*
- Legal (deep) or Letter (wide)
- No inside logo or nameplate available


ANGLED CUTLERY TRAYS
Specifications for all styles:

- 3/8" Hard White Maple
- 1/4" Birch plywood bottoms, *charges apply see 18.3*
- Designed to fit in standard drawer box
 - 1/16" clearance on all sides (1/8" total)
- 3" high overall

When ordering, specify:

- Style 1, 2, 3, 4, 5
- Width
- Finished or unfinished, 3 sq. feet, *see 17.3 & 17.4*
- Depth 21" standard, specify if different

Style Costs

Style 1: \$\$ @ 12" wide

Style 2: \$\$ @ 15" wide

Style 3: \$\$ @ 18" wide

Style 4: \$\$ @ 24" wide

Style 5: \$\$ @ 30" wide

CUTLERY TRAYS

Specifications for all styles:


- 3/8" Hard White Maple
- 1/4" Birch plywood bottom, *charges apply see 18.3*
- Designed to fit inside a standard drawer
- 1/16" clearance on all sides (1/8" total)
- 3" high overall
- Unfinished boxes will be delivered with bottom unattached.


When ordering, specify:

- Style 1, 2, 3, 4, 5
- Width
- Finished or unfinished, 3 sq. feet, *see 17.3 & 17.4*
- Standard depth: 19"
- Minimum depth: 16"
- Maximum depth: 22"
- Less than 16" deep and greater than 22" deep will require custom pricing

Style Costs

- Style 1: \$\$ from 7-1/2" to 10" W
- Style 2: \$\$ from 10-1/8" to 13-7/8" W
- Style 3: \$\$ from 14" to 19-1/2" W
- Style 4: \$\$ from 19-5/8" to 25-1/2" W
- Style 5: \$\$ from 25-5/8" to 35-1/2" W





DOUBLE DECKER CUTLERY DRAWER BOXES

Specifications

- Hard White Maple, all other species will be custom pricing
- 1/4" Birch plywood bottom, *charges apply see 18.3*
- Designed to fit in standard drawer box
 - 1/16" clearance on all sides (1/8" total)
- Interior slides provided
- No inside logo or nameplate available

When ordering, specify:

- Style 2, 3, 4, 5- from cutlery tray design
- Overall width
- Standard height 5-1/8"
- Minimum height 4-5/8"
- Standard Depth: 21"
- Finished or unfinished


Unfinished pricing includes hardware, cutlery tray, and drawer box

Style 2: \$\$ @ 11-3/4" W to 18-3/4" W

Style 3: \$\$ @ 14-3/4" W to 24-1/4" W

Style 4: \$\$ @ 20-1/4" W to 27- 3/4" W

Style 5: \$\$ @ 25" W to 38-1/4" W



SPICE DRAWER

Specifications:

- 5/8" Solid hardwood sides
- Hard White Maple
- Natural Soft Maple
- Natural Cherry
- 1/4" or 3/8" bottoms
- 4 adjustable shelves: 1-1/2" H x 3-1/2" D x Width provided
- Minimum height: 4-1/8"
- Minimum depth: 17-1/4"
- Minimum width: 5"
- Maximum width: 24"


When ordering, Specify:

- Species
- Bottom thickness
- Sizes
- Finished or unfinished

FLOATING SHELVES

Standard specifications

- Height / Thickness is 2-1/2", *minimum is 2"*
- Standard length is 10', *maximum is 96"*
- Depth minimum 7"
- Depth maximum 12"
- Add a decorative edge
 - \$ for top, front top, side top edges
 - \$\$ for top & bottom



Species options

- Cherry, Hard Maple, Paint Grade Hard Maple, Red Oak, and other species may be available through SPP.
- Top and bottom shelf is produced by 3/8" A1 MDF core veneer
 - Matching 3/4" solid wood trim on three sides.

Finish options

- 1-1/2 x's a doors sq. foot finish cost
 - Available with paint, primer, stain, and glaze.

Support frame

- Produced from 3/4" ungraded hardwood species.
- Floating shelf should be mounted to a minimum of two studs for shelves under 50" wide; anything over, 50" wide, three or more studs.
- We recommend using high quality thread screws at least 2-1/2" in total length, using at least two screws per stud.
- After install, we recommend that the shelf bracket be installed; metal brackets are provided.
 - 50" to 65" you will receive 3 brackets
 - 66" to 96" you will receive 4 brackets.


Warranty

- Meridian Products does not accept responsibility for shelf failure due to improper or inappropriate installation by the installer.
- Failing to follow Meridian Products recommendations will void any warranties on this product or any damage due to failure.

Product Pricing Includes all Design & Material Costs

| SPECIES | 30" OR SMALLER | 30-1/16" TO 40" | 40-1/16 TO 50" |
|---------------|----------------|-----------------|----------------|
| CHERRY | --- | --- | --- |
| HARD MAPLE | --- | --- | --- |
| PG HARD MAPLE | --- | --- | --- |
| RED/WHITE OAK | --- | --- | --- |

| SPECIES | 50-1/16" TO 65" | 65-1/16" TO 80" | 80-1/16 TO 95" |
|---------------|-----------------|-----------------|----------------|
| CHERRY | --- | --- | --- |
| HARD MAPLE | --- | --- | --- |
| PG HARD MAPLE | --- | --- | --- |
| RED/WHITE OAK | --- | --- | --- |


Pre-finished Cabinet Shelf

Material charge per sq. foot

Specifications:

- 3/4" thick only
- Pre-finished Hard Maple only
 - Hard Maple veneer core with C2 plywood
- Other species will be custom priced
- 4 shelf clips included
- Square / Rectangular design standard
 - Other designs available though custom pricing and customer supplied sketch, specify which edges are to be banded.
- One width (long edge) will be banded, the other three will not be.


Knife Block


- Comes clear coated, no other options available.

Species

- Hard Maple- \$
- Walnut- \$\$
- White Oak- \$\$

Size Parameters

- Holds 5 larger knives
- Holds 6 steak knives
- Width: 5-5/8"
- Depth: 16-9/16"
- Height: 1-7/8" (*at highest point*)
 - Size adjustments available through custom pricing.


Can Storage Unit

- Cost per inch of height up to 14" wide
- Cost per inch of height 14-1/16 wide - 21" wide
- \$\$ per extra shelf, 3 standard

Specifications:


- 5/8" solid Hard White Maple
- 1/4" Birch back
 - 1/2" option available, *must note*, additional
- Dovetail construction
- Adjustable shelves, 42" + has fixed center shelf
- 1-1/4" increments with lock-in-place feature
- Maximum 8" spacing between shelves
- Retainer bar attached to each shelf

Dimensions

- A= Height 21" to 60"
- B= Width 5" to 21"
- C= Depth 5-1/8" standard

When ordering specify

- Dimensions A & B
- Finished or unfinished, 9 sq. foot, *see 17.3 & 17.4*


Pull-Out Can Storage Unit

- Cost per inch up to 14" deep
- Cost per inch from 14-1/16" deep - 21" deep
- \$\$ per extra shelf, 3 standard

Specifications:


- 3/4" solid Hard White Maple sides
- 5/8" solid Hard White Maple shelves
- Dovetail construction
- Adjustable shelves, 42" + has fixed center shelf
- Accessible from both sides of unit
- Retainer bars attached to each shelf

Dimensions:

- A= Height 21" to 60"
- B= Depth 8" to 21"
- C= Width 5-1/8" standard

When ordering, specify:

- Dimensions A & B
- Finished or unfinished, 9 sq. foot, *see 17.3 & 17.4*


BOTTOM MOUNT DOUBLE TASH CAN PULL-OUT

- Design charge- per unit

Specifications:


- Solid 5/8" Hard White Maple
- Dovetailed box
- Veneered top & bottom shelf
- Product ships fully assembled and ready for hardware.
- Hardware not included.
- Includes two white 36 Qt trashcans



Standard size options

- Front height= 12"
- Back height= 8"
- Depth= 21-3/4"
- Width= 16" to 18"

When ordering, specify:

- Width of box
- Finished or unfinished, 6 sq foot, *see 17.3 & 17.4*



Optional
 Cutout #1

 Optional
 Cutout #2


TYPE A PULL-OUT WASTE CAN UNIT

Pricing

- Cost per uncut unit
- Option 1 add \$\$
- Option 2 add \$\$

Specifications:


- Solid 5/8" Hard White Maple
- Dovetail construction
- 3/4" veneered MDF top banded on all 4 sides
- Flush front and back
- 3/8" overhang on both sides
- Drawer hardware is not included
- Option 1 comes with 1 Rubbermaid 7 gal. waste basket
- Option 2 comes with 2 Rubbermaid 7 gal. waste baskets



Dimensions

- Height= 3-13/16", standard
- Width= 11" to 18"
 - 15" to 18" can accommodate a double cut out
- Depth= 21-3/4", standard

When ordering, specify:

- Width of the box, *see image below*
- Cut out option
- Finished or unfinished, 6 sq. feet, *see 17.3 & 17.4*



Optional
 Cutout #1

 Optional
 Cutout #2

TYPE B PULL- OUT WASTE CAN UNIT
Pricing

- Cost per uncut unit
- Option 1 additional
- Option 2 additional

Specifications:


- Solid 5/8" Hard White Maple
- Dovetail construction
- 3/4" veneered MDF top banded all 4 sides
- Flush front and back
- 3/8" overhang on both sides
- Drawer hardware not included
- Option 1 comes with 1 Rubbermaid 7 gal. waste basket
- Option 2 comes with 2 Rubbermaid 7 gal. waste baskets


Dimensions:

- Height overall= 15-7/8", standard
- Width= 11" to 18"
- 15" to 18" can accommodate a double cutout
- Depth= 21-3/4", standard

When ordering, specify:

- Width of box, *see image below*
- Cut out option
- Finished or unfinished, 6 sq feet, *see 17.3 & 17.4*





WINE RACK

Pricing


- \$\$ per sq foot

Specifications:

- 4" x 4" square bottle openings
- 1/2" x 3/4" solid wood material, using 1/2" lap at all joints
- All "face" edges are sanded and will have 1/8" radius
- 2 racks recommended for a complete unit
- Minimum size is 1 sq. foot

When ordering, specify:

- Wood species
- Width and height, maximum size is 32" wide x 72" high
- Finished or unfinished, per sq foot, *see 17.3 & 17.4*



STEMWARE RACK

Pricing

- Up to 24" long= \$\$
- 24-1/16" up to 36" long= \$\$
- 36-1/16" up to 48" long= \$\$

Specifications:

- 1/2" x 2-1/4" frame strips
- 3/4" x 3- 7/16" wide holders attached on 4-1/2" centers

Dimensions:

- A= Height fixed @ 1-1/4"
- B= Width adjustable @ 15" to 48"
- C= Depth fixed @ 11"

When ordering, specify:




- Wood species
- Width
- Finished or unfinished, 5 sq feet, *see 17.3 & 17.4*

18

DRAWER
BOXES,
STORAGE &
FLOATING
SHELVES

| | |
|------------------------------------------------|----|
| SALES, CSR, ACCOUNTING | 1 |
| GENERAL INFORMATION | 2 |
| MATERIAL GRADES | 3 |
| WARRANTY & AGREEMENTS | 4 |
| TERMINOLOGY | 5 |
| WOOD PRICING & PRICING MATRIX | 6 |
| PROFILES (RAISE, EDGE & BEAD) | 7 |
| MORTISE & TENON DOORS | 8 |
| MDRF DOORS & DRAWER FRONTS | 9 |
| MORTISE & TENON NOTCHED DESIGNS | 10 |
| MITERED DOORS | 11 |
| APPLIED MOLDING DOORS | 12 |
| EVOLUTION | 13 |
| SKINNY SHAKER, EDGE BANDING, SLABS | 14 |
| MULLION & SPECIALTY DOORS | 15 |
| DOOR & DRAWER OPTIONS | 16 |
| FINISHING | 17 |
| DRAWER BOXES, STORAGE & FLOATING SHELVES | 18 |
| FRONT FRAMES | 19 |
| MOLDING, TURNINGS & CORBELS | 20 |
| SPECIALTY PRODUCTS | 21 |
| SALES TOOLS | 22 |
| NON-PUBLISHED DESIGNS | 23 |

FRONT FRAMES



FRONT FRAME PROFILES

- Front frames are manufactured with a blind mortise and tenon construction.
- Standard framing width is 1-1/2". *Specify if different.*
- When ordering dados, specify width, depth and location.

STANDARD, MINIMUM WIDTH

- The minimum width for beaded inset center stiles and rails is 1-1/2".
- The minimum width for beaded inset outside stiles and rails is 1".
- The minimum opening height & width for a front frame is 3".
- The minimum width for square bead stiles and rails is 3/4".
- Custom widths can be order at an additional cost. *See page 19.5 for pricing.*


SQUARE DESIGN PRICE: Cost for the first opening of a front frame.

- *Added cost for all other profile options listed below*

SQUARE ADDITIONAL OPENINGS: Cost per each.

- *Added cost for all other profile options listed below.*


3/4" & 1" OPTIONS



SQUARE



BEVELED STEP



0273



3/16" BEAD



1/4" BEAD



5/16" BEAD



3/8" BEAD

1" OPTIONS ONLY



CHAMFER



COLONIAL



OGEE



F2



C BEAD

FRONT FRAME EDGE PROFILE OPTIONS

- Front Frame Edge to match door profile= per frame.
- If frame exceeds 48" in width or height= per frame.

AVAILABLE EDGE PROFILES


AL2, B2, C2, CH2, F2, FP, GR2, H2, J2, M12, M2, M4M (\$16.25), ME, OM, PR2, R2, R3, V2

EDGE PROFILES FOR CORNER CABINETS

WLS



1"WLS



MAXIMUM STANDARDS FOR SHIPPING FACE FRAMES WIDTH AND LENGTH

- 70" x 120" Max width and length for face frames on OUR TRUCK
- 54" x 120" Max width and length for face frames on COMMON CARRIER
- All other sizes greater than this on both width and length will need to ship to our customers UNASSEMBLED
 - 130" + is able to be built, but not shipped. *Must be customer pick up.*
 - 50" + wide will be hand sanded, *for an additional cost.*

MATERIAL PRICE

(Total sq. ft. of perimeter of front frame x wood species price = material cost)

PG= Paint Grade , S=Select , No Notation= Standard

| Species | 3/4" | 1" | Species | 3/4" | 1" |
|-----------------|------|-----|----------------|------|-----|
| Alder | --- | --- | Hard Maple (S) | --- | --- |
| Birch (PG) | --- | --- | Soft Maple | --- | --- |
| Red Birch | --- | --- | Red Oak | --- | --- |
| White Birch | --- | --- | Red Oak (S) | --- | --- |
| Cherry | --- | --- | White Oak | --- | --- |
| Cherry (S) | --- | --- | White Oak (S) | --- | --- |
| Hickory | --- | --- | Pine | --- | --- |
| Mahogany | --- | --- | Walnut | --- | --- |
| Hard Maple | --- | --- | Walnut Natural | --- | --- |
| Hard Maple (PG) | --- | --- | | | |

TOTAL COST OF FRONT FRAME

To calculate TOTAL COST add together material price and design price, plus option price, if any.

MATERIAL PRICE+ DESIGN PRICE+ OPTION PRICE (if any) = TOTAL COST

FINISHING


- Finishing price is per square foot and includes the polish sanding in that price.
- If you would like your front frames finished on the outside edges, please list as *Finished Ends*.

| | |
|--------------------|-----|
| Clear Coat | --- |
| Stain | --- |
| SCM Stain | --- |
| Paint | --- |
| SCM Paint | --- |
| Add Glaze to Paint | --- |
| Add Glaze to Stain | --- |
| Primer | --- |

OPTION PRICES

- Assembly Dados (per each stile or rail) = Cost is per piece.
- Options to use Beaded Inset, Chamfer, Colonial, Ogee, F2, or C Bead= Additional / opening
- Altering Opening Sizes (open oven cabinet, microwave, farm sink) = / altered opening
- Non-Standard framing widths- per linear foot cost
 - Under 1-1/4" wide or Over 1-1/2" to 6" wide= additional
 - Over 6" to 8" wide= additional
 - If over 60" long= Additional to above
 - Over 8" wide= additional
 - If over 60" long= Additional to above
- Oversize framing charge
 - If both width & height exceed 36-47"= Additional
 - If width or height exceed 96"= Additional
 - If both width & height exceed 48"= SPP Pricing
 - If width or height exceed 120"= SPP Pricing
- Break Edges= added cost.

SIZE TOLERANCE ALLOWED ON FRONT FRAMES IS +/- 1/32"




**M5 profile shown

PREFITTED DOORS & DRAWERS

Option Price: per piece

- Doors & Drawer Fronts for each opening are hand fitted.
- Doors/ Drawer Fronts are individually numbered to ensure a correct match to opening.
- Mitered, Batten, Slab 400's cannot be prefitted
- Standard Gap 3/32"
 - 1/16" gap available *must note*
- 83" max for prefitted product
- Edge Profile Options: M5, ME, & 2D



FALSE DOOR IN FRAME

Option Price: per piece

- Back of Front Frames are routed to accommodate a glued in strip of wood.
- Back of Doors & Drawer Fronts are routed to accommodate a glued in strip of wood.
- Door & Front Frame will have a flush back.
- Must note if you want back of Door & Front Frame to be finished.

PREFIT & RE-PROFILE

Option Price: per product piece


| | |
|------------------------------------------------|----|
| SALES, CSR, ACCOUNTING | 1 |
| GENERAL INFORMATION | 2 |
| MATERIAL GRADES | 3 |
| WARRANTY & AGREEMENTS | 4 |
| TERMINOLOGY | 5 |
| WOOD PRICING & PRICING MATRIX | 6 |
| PROFILES (RAISE, EDGE & BEAD) | 7 |
| MORTISE & TENON DOORS | 8 |
| MDRFDOORS & DRAWER FRONTS | 9 |
| MORTISE & TENON NOTCHED DESIGNS | 10 |
| MITERED DOORS | 11 |
| APPLIED MOLDING DOORS | 12 |
| EVOLUTION | 13 |
| SKINNY SHAKER, EDGE BANDING, SLABS | 14 |
| MULLION & SPECIALTY DOORS | 15 |
| DOOR & DRAWER OPTIONS | 16 |
| FINISHING | 17 |
| DRAWER BOXES, STORAGE & FLOATING SHELVES | 18 |
| FRONT FRAMES | 19 |
| MOLDING, TURNINGS & CORBELS | 20 |
| SPECIALTY PRODUCTS | 21 |
| SALES TOOLS | 22 |
| NON-PUBLISHED DESIGNS | 23 |

MOLDING, TURNINGS & CORBELS (NOT TO SCALE)

To limit inventory, Meridian Products runs most of our customer molding needs on a per order basis. As such, Meridian Products will not accept any returns and no credit will be issued.


- ★ PG "Paint Grade" Moldings will be either poplar, soft maple, hard maple, or white birch depending on the availability at Meridian Products.

BASEBOARD




BASE CAP


BC174




BC601


COVE / CORNER


SMALL COVE




OUTSIDE CORNER




S-513B




CV300













CV250



COVE CROWN




CROWN



CROWN


CROWN


S-329




S-346




S-373




S-385



S-3022



CR300



BEADED BOARD

- Available in 4" w x 3/8" thickness
- Available in random length or cut to length
- Molding is reversible for 2" or 4" bead spacing
 - Specify which side is face when ordering




LIGHT RAIL


LIGHT RAIL




PLINTH




HALF ROUND LIGHT RAIL



S-764







S-765




FRIEZE


2-1/4" OR 3" FRIEZE


SCRIBE

NOSING


N2




N12




S-720



S-739




S-511




QUARTER ROUNDS & SHOE


QR50



SHOE TRIM




S-509




HALF ROUND


S-538



S-585



S-518





P-5050

Description: Mission Post
Dimensions: 34-1/2" x 3" x 3"
Cherry - \$\$
Maple - \$\$
Birch - \$\$



P-5046

Description: Shaker Post
Dimensions: 35-1/4" x 2-7/16" x 2-7/16"
Cherry - \$\$
Maple - \$\$
Birch - \$\$
White Oak- \$\$



P-5058

Description: Mission Post
Dimensions: 35-1/4" x 4" x 4"
Cherry - \$\$
Maple - \$\$
Birch - \$\$
White Oak- \$\$


P-5035

Description: French Island Post
 Dimensions: 35-1/4" x 3-1/2" x 3-1/2"
 Cherry - \$\$
 Maple - \$\$
 Birch - \$\$
 White Oak- \$\$

P-5035-S (SPLIT POST)

Description: French Island Split On-lay
 Dimensions: 35-1/4" x 3-1/2" x 1-11/16"
 Cherry - \$\$
 Maple - \$\$
 Birch - \$\$


P-5034

Description: Reeded Island Post
 Dimensions: 35-1/4" x 3-1/2" x 3-1/2"
 Cherry - \$\$
 Maple - \$\$
 Birch - \$\$

P-5034-S (SPLIT POST)

Description: Reeded Island Split On-lay
 Dimensions: 35-1/4" x 3-1/2" x 1-11/16"
 Cherry - \$\$
 Maple - \$\$
 Birch - \$\$


P-5033

Description: Rope Island Post
 Dimensions: 35-1/4" x 3-1/2" x 3-1/2"
 Cherry - \$\$
 Maple - \$\$
 Birch - \$\$

SY-P-5033-S (SPLIT POST)

Description: Rope Island Split On-lay
 Dimensions: 35-1/4" x 3-1/2" x 3-1/2"
 Cherry - \$\$
 Maple - \$\$
 Birch - \$\$



P-5061

Description: Colonial Post
 Dimensions: 35-1/4" x 5" x 5"
 Cherry - \$\$
 Maple - \$\$
 Birch - \$\$



BF-177

Description: Tulip Bunn Foot
Dimensions: 4-1/2" x 3-1/2" x 3-1/2"
Cherry- \$\$
Maple - \$\$
Birch - \$\$



BF-197

Description: Short Tapered Foot
Dimensions: 4-1/2" x 2-1/2" x 2-1/2"
Cherry- \$\$
Maple - \$\$
Birch - \$\$
White Oak- \$\$



BF-187

Description: Shaker Leg
Dimensions: 6" X 2-7/16" X 2-7/16"
Cherry- \$\$
Maple - \$\$
Birch - \$\$



CA-4

Description: Shaker Corbel
Dimensions: 6" x 4-1/2" x 4"
Cherry - \$\$
Maple - \$\$
Birch - \$\$



CA-2

Description: Coved Shaker Counter Top Support
Dimensions: 12" x 3-1/2" x 9"
Cherry- \$\$
Maple - \$\$
Birch - \$\$



CA-6

Description: Shaker Corbel

Dimensions: 9" x 6" x 4"

Cherry- \$\$

Maple - \$\$

Birch - \$\$



CA-66

Description: Mission Revival Corbel

Dimensions: 9" x 6" x 4"

Cherry- \$\$

Maple - \$\$

Birch - \$\$



CA-62

Description: Large Mission Revival Style Corbel

Dimensions: 12" x 3-1/2" x 9"


Cherry- \$\$

Maple - \$\$

Birch - \$\$


All plates are 3/8" thick

Finish all is per one square foot.

WALL OUTLET PLATE



| | |
|--------------|-----|
| CHERRY | --- |
| HARD MAPLE | --- |
| WALNUT | --- |
| QS WHITE OAK | --- |
| HICKORY | --- |

Dimensions: 3" W x 4-7/8" H

WALL DOUBLE OUTLET PLATE



| | |
|--------------|-----|
| CHERRY | --- |
| HARD MAPLE | --- |
| WALNUT | --- |
| QS WHITE OAK | --- |
| HICKORY | --- |

Dimensions: 4-15/16" W x 4-7/8" H

SINGLE TOGGLE SWITCH PLATE


| | |
|--------------|-----|
| CHERRY | --- |
| HARD MAPLE | --- |
| WALNUT | --- |
| QS WHITE OAK | --- |
| HICKORY | --- |


Dimensions: 3" W x 4-7/8" H

SINGLE ROCKER SWITCH PLATE


| | |
|--------------|-----|
| CHERRY | --- |
| HARD MAPLE | --- |
| WALNUT | --- |
| QS WHITE OAK | --- |
| HICKORY | --- |


Dimensions: 3" W x 4-7/8" H

All plates are 3/8" thick
 Finish all is per one square foot.

DOUBLE TOGGLE OR DOUBLE ROCKER SWITCH PLATE



| | |
|--------------|-----|
| CHERRY | --- |
| HARD MAPLE | --- |
| WALNUT | --- |
| QS WHITE OAK | --- |
| HICKORY | --- |

Dimensions: 4-15/16" W x 4-7/8" H

TRIPLE TOGGLE OR TRIPLE ROCKER SWITCH PLATE



| | |
|--------------|-----|
| CHERRY | --- |
| HARD MAPLE | --- |
| WALNUT | --- |
| QS WHITE OAK | --- |
| HICKORY | --- |

Dimensions: 6-3/8" W x 4-7/8" H

QUAD TOGGLE OR QUAD ROCKER SWITCH PLATE


| | |
|--------------|-----|
| CHERRY | --- |
| HARD MAPLE | --- |
| WALNUT | --- |
| QS WHITE OAK | --- |
| HICKORY | --- |

Dimensions: 8-1/8" W x 4-7/8" H



| | |
|------------------------------------------------|----|
| SALES, CSR, ACCOUNTING | 1 |
| GENERAL INFORMATION | 2 |
| MATERIAL GRADES | 3 |
| WARRANTY & AGREEMENTS | 4 |
| TERMINOLOGY | 5 |
| WOOD PRICING & PRICING MATRIX | 6 |
| PROFILES (RAISE, EDGE & BEAD) | 7 |
| MORTISE & TENON DOORS | 8 |
| MDRF DOORS & DRAWER FRONTS | 9 |
| MORTISE & TENON NOTCHED DESIGNS | 10 |
| MITERED DOORS | 11 |
| APPLIED MOLDING DOORS | 12 |
| EVOLUTION | 13 |
| SKINNY SHAKER, EDGE BANDING, SLABS | 14 |
| MULLION & SPECIALTY DOORS | 15 |
| DOOR & DRAWER OPTIONS | 16 |
| FINISHING | 17 |
| DRAWER BOXES, STORAGE & FLOATING SHELVES | 18 |
| FRONT FRAMES | 19 |
| MOLDING, TURNINGS & CORBELS | 20 |
| SPECIALTY PRODUCTS | 21 |
| SALES TOOLS | 22 |
| NON-PUBLISHED DESIGNS | 23 |


SPECIALTY PRODUCTS

Helpful Hints:

- All hood sizes included any decorative attached moldings.
 - If you would like to add molding to any hood, it needs to be included in the overall size of the hood.

MPAR HOOD




- Curved radius top section with a square bottom attachment
- Veneer, hardwood plywood and solid lumber construction
- Optional Aluma steel deck - added cost per hood option
- Standard bottom width options - 36" - 42" - 48" - 54" - 60"
- Standard top width options- subtract 18" from bottom width
- Standard height options - 30" - 42" - 48"
- Standard depth top - 13"
- Standard depth bottom - 22"
- Finish - x 28 square foot charge
- Non standard sizes are available through custom pricing
- Available Species -
 - Paint Grade (with MDF)
 - Hard or Soft Maple
 - Red or White Oak
 - Cherry
 - Walnut
 - Rift White Oak
- Lead time is 3 weeks for standard designs and sizes



| MPAR SIZE | PAINT GRADE LIST PRICE | R. OAK, CHERRY, HARD MAPLE LIST PRICE | WALNUT, W. OAK, RIFT W. OAK LIST PRICE |
|--------------|---------------------------|------------------------------------------|-------------------------------------------|
| MPAR3630 | --- | --- | --- |
| MPAR4230 | --- | --- | --- |
| MPAR4830 | --- | --- | --- |
| MPAR5430 | --- | --- | --- |
| MPAR6030 | --- | --- | --- |
| | | | |
| MPAR3642 | --- | --- | --- |
| MPAR4242 | --- | --- | --- |
| MPAR4842 | --- | --- | --- |
| MPAR5442 | --- | --- | --- |
| MPAR6042 | --- | --- | --- |
| | | | |
| MPAR3648 | --- | --- | --- |
| MPAR4248 | --- | --- | --- |
| MPAR4848 | --- | --- | --- |
| MPAR5448 | --- | --- | --- |
| MPAR6048 | --- | --- | --- |

MPBR HOOD


- Curved radius top section with a MRP-10 bottom attachment
- Options on front panel door- Bead and Panel Raise
- Molding design- (CVI00 or CR16)
- Veneer, Hardwood plywood and solid lumber construction
- Optional Aluma steel deck - added cost per hood option
- Standard bottom width options - 36" - 42" - 48" - 54" - 60"
- Standard top width options- subtract 18" from bottom width
- Standard height options - 30" - 42" - 48"
- Standard depth top - 13" - Standard depth bottom - 22"
- Finish - x 28 square foot charge
- Non standard sizes are available through custom pricing
- Available Species -
 - Paint Grade (with MDF)
 - Hard or Soft Maple
 - Red or White Oak
 - Cherry
 - Walnut
 - Rift White Oak
- Lead time is 3 weeks for standard designs and sizes


CR16

CV100


| MPBR SIZE | PAINT GRADE LIST PRICE | R. OAK, CHERRY, HARD MAPLE LIST PRICE | WALNUT, W. OAK, RIFT W. OAK LIST PRICE |
|--------------|---------------------------|------------------------------------------|-------------------------------------------|
| MPBR3630 | --- | --- | --- |
| MPBR4230 | --- | --- | --- |
| MPBR4830 | --- | --- | --- |
| MPBR5430 | --- | --- | --- |
| MPBR6030 | --- | --- | --- |
| MPBR3642 | --- | --- | --- |
| MPBR4242 | --- | --- | --- |
| MPBR4842 | --- | --- | --- |
| MPBR5452 | --- | --- | --- |
| MPBR6042 | --- | --- | --- |
| MPBR3648 | --- | --- | --- |
| MPBR4248 | --- | --- | --- |
| MPBR4848 | --- | --- | --- |
| MPBR5448 | --- | --- | --- |
| MPBR6048 | --- | --- | --- |

MPCA HOOD


- Shiplap wall mounted hood
- Solid lumber construction
- Optional Aluma steel deck - added cost per hood option
- Standard width options - 30" - 36" - 42" - 48"
- Standard height options - 30" Base
- Chimney extension options - 12" - 18" - 24", *additional cost to hood pricing.*
- Standard depth top - 13 1/2" - Standard depth bottom - 20"
- Finish - x 28 square foot charge
- Non standard sizes are available through our custom pricing
- Available Species -
 - Paint Grade- MDF shiplap board standard.
 - Hard or Soft Maple
 - Red or White Oak
 - Cherry
 - Walnut
 - Rift White Oak
- Lead time is 3 weeks for standard designs and sizes



| MPCA SIZE | PAINT GRADE LIST PRICE | R. OAK, CHERRY, HARD MAPLE LIST PRICE | WALNUT, W. OAK, RIFT W. OAK LIST PRICE |
|--------------|-----------------------------------------|------------------------------------------|-------------------------------------------|
| MPCA3030 | --- | --- | --- |
| MPCA3630 | --- | --- | --- |
| MPCA4230 | --- | --- | --- |
| MPCA4830 | --- | --- | --- |
| | OPTIONAL CHIMNEY EXTENSIONS 12" HIGH | OPTIONAL CHIMNEY EXTENSIONS 12" HIGH | OPTIONAL CHIMNEY EXTENSIONS 12" HIGH |
| MPCA3012 | --- | --- | --- |
| MPCA3612 | --- | --- | --- |
| MPCA4212 | --- | --- | --- |
| MPCA4812 | --- | --- | --- |
| | OPTIONAL CHIMNEY EXTENSIONS 18" HIGH | OPTIONAL CHIMNEY EXTENSIONS 18" HIGH | OPTIONAL CHIMNEY EXTENSIONS 18" HIGH |
| MPCA3018 | --- | --- | --- |
| MPCA3618 | --- | --- | --- |
| MPCA4218 | --- | --- | --- |
| MPCA4818 | --- | --- | --- |
| | OPTIONAL CHIMNEY EXTENSIONS 24" HIGH | OPTIONAL CHIMNEY EXTENSIONS 24" HIGH | OPTIONAL CHIMNEY EXTENSIONS 24" HIGH |
| MPCA3024 | --- | --- | --- |
| MPCA3624 | --- | --- | --- |
| MPCA4224 | --- | --- | --- |
| MPCA4824 | --- | --- | --- |

MPDE HOOD


- Straight modern style range hood
- Veneer, Hardwood plywood and solid lumber construction
- Optional Aluma steel deck - Added cost per hood option
- Standard width options - 30" - 36" - 42" - 48"
- Standard top width options- subtract 14 -1/2" from bottom width
- Standard height - 54"
- Standard depth top - 13- 1/2" - Standard depth bottom - 20"
- Finish - x 28 square foot change
- Non standard sizes are available through custom pricing.
- Available Species -
 - Paint Grade (with MDF)
 - Hard or Soft Maple
 - Red or White Oak
 - Cherry
 - Walnut
 - Rift White Oak
- Lead time is 3 weeks for standard designs and sizes



| MPDE SIZE | PAINT GRADE LIST PRICE | R. OAK, CHERRY, HARD MAPLE LIST PRICE | WALNUT, W. OAK, RIFT W. OAK LIST PRICE |
|--------------|---------------------------|------------------------------------------|-------------------------------------------|
| MPDE3054 | --- | --- | --- |
| MPDE3654 | --- | --- | --- |
| MPDE4254 | --- | --- | --- |
| MPDE4854 | --- | --- | --- |

MPEV HOOD


- Straight modern style range hood with MRP-10 bottom attachment
- Options on front panel door- Bead and Panel Raise
- Veneer, Hardwood plywood and solid lumber construction
- Optional Aluma steel deck - Added cost per hood option
- Standard width options - 30" - 36" - 42" - 48"
- Standard top width options- subtract 18" from bottom width
- Standard height - 42"
- Standard depth top - 12-1/2" - Standard depth bottom - 22-1/2"
- Finish - x 28 square foot change
- Non standard sizes are available through our custom pricing.
- Available Species -
 - Paint Grade (with MDF)
 - Hard or Soft Maple
 - Red or White Oak
 - Cherry
 - Walnut
 - Rift White Oak
- Lead time is 3 weeks for standard designs and sizes



| MPEV SIZE | PAINT GRADE LIST PRICE | R. OAK, CHERRY, HARD MAPLE LIST PRICE | WALNUT, W. OAK, RIFT W. OAK LIST PRICE |
|--------------|---------------------------|------------------------------------------|-------------------------------------------|
| MPEV3042 | --- | --- | --- |
| MPEV3642 | --- | --- | --- |
| MPEV4242 | --- | --- | --- |
| MPEV4842 | --- | --- | --- |

MPFR HOOD


- Straight modern style range hood
- Veneer, Hardwood plywood and solid lumber construction
- Optional Aluma steel deck - Added cost per hood option
- Standard width options - 30" - 36" - 42" - 48"
- Standard top width options- subtract 18" from bottom width
- Standard height - 42"
- Standard depth top - 12- 1/2"
- Standard depth bottom - 22-1/2"
- Finish - x 28 square foot change
- Non standard sizes are available through our custom pricing.
- Available Species -
 - Paint Grade (with MDF)
 - Hard or Soft Maple
 - Red or White Oak
 - Cherry
 - Walnut
 - Rift White Oak
- Lead time is 3 weeks for standard designs and sizes



| MPFR SIZE | PAINT GRADE LIST PRICE | R. OAK, CHERRY, HARD MAPLE LIST PRICE | WALNUT, W. OAK, RIFT W. OAK LIST PRICE |
|--------------|---------------------------|------------------------------------------|-------------------------------------------|
| MPFR3042 | --- | --- | --- |
| MPFR3642 | --- | --- | --- |
| MPFR4242 | --- | --- | --- |
| MPFR4842 | --- | --- | --- |

MPGE HOOD

- Curved radius top section with a square bottom attachment
- Veneer, Hardwood plywood and solid lumber construction
- Optional Aluma steel deck -Added cost per hood option
- Standard bottom width options - 36" - 42" - 48" - 54" - 60"
- Standard height options - 30" - 36" - 42" - 48"
- Standard depth top - 12" - Standard depth bottom - 23"
- Finish - x 28 square foot change
- Non standard sizes are available through custom pricing.
- Available Species -
 - Paint Grade (with MDF)
 - Hard or Soft Maple
 - Red or White Oak
 - Cherry
 - Walnut
 - Rift White Oak
- Lead time is 3 weeks for standard designs and sizes



| MPGE SIZE | PAINT GRADE LIST PRICE | R. OAK, CHERRY, HARD MAPLE LIST PRICE | WALNUT, W. OAK, RIFT W. OAK LIST PRICE |
|--------------|---------------------------|------------------------------------------|-------------------------------------------|
| MPGE3630 | --- | --- | --- |
| MPGE4230 | --- | --- | --- |
| MPGE4830 | --- | --- | --- |
| MPGE5430 | --- | --- | --- |
| MPGE6030 | --- | --- | --- |
| | | | |
| MPGE3636 | --- | --- | --- |
| MPGE4236 | --- | --- | --- |
| MPGE4836 | --- | --- | --- |
| MPGE5436 | --- | --- | --- |
| MPGE6036 | --- | --- | --- |
| | | | |
| MPGE3642 | --- | --- | --- |
| MPGE4242 | --- | --- | --- |
| MPGE4842 | --- | --- | --- |
| MPGE5452 | --- | --- | --- |
| MPGE6042 | --- | --- | --- |
| | | | |
| MPGE3648 | --- | --- | --- |
| MPGE4248 | --- | --- | --- |
| MPGE4848 | --- | --- | --- |
| MPGE5448 | --- | --- | --- |
| MPGE6048 | --- | --- | --- |

VENEERS/ SHEET GOODS

- Veneers are not guaranteed to match solid wood products.
- Veneers are sliced from premium material; color and grain match will be more uniform than solid wood items.
- Proper surface conditions and preparations are critical to a successful application and performance.
- Meridian Products paintable veneer is a grain-free product that is an excellent option for painting.
- The manufacturer recommends that all veneers should be placed flat and allowed to acclimate for 48 hours before installation.
- Meridian Products does not accept any returns of veneer or sheet goods.
- Meridian Products does not cover any warranty claims for veneers shipped on common carrier or ground.
 - If you receive a product damaged, we will file a claim on your behalf and credit you, if covered by our third-party delivery company.
- Meridian Products does not warranty any veneer for waves or bubbles associated to a sheet of veneer if finished (by Meridian Products or our customer) unless it is assembled to a substrate at least 1/4" thick before finish.
- All pricing is for 4 x 8 sheets.
- All hardwood species adds cost per sheet for PSA.

| SPECIES | 10 MIL | 30 MIL KRAFT BACK | MDF CORE 1/4" VENEER | MDF CORE 3/4" VENEER |
|---------------|--------|----------------------|-------------------------|-------------------------|
| WHITE BIRCH | --- | --- | --- | --- |
| CHERRY | --- | --- | --- | --- |
| HARD MAPLE | --- | --- | --- | --- |
| RED OAK | --- | --- | --- | --- |
| WHITE OAK | --- | --- | --- | --- |
| SPECIES | | | | 1/4" MDF |
| MDF PAINTABLE | | | | --- |
| SPECIES | 15 MIL | 15 MIL PSA | 30 MIL | 30 MIL PSA |
| PAINTABLE | --- | --- | --- | --- |

VENEER & PLYWOOD FINISHING PRICES (PER SQUARE FOOT)

| FINISHES | PER SQ. FT |
|--------------------|------------|
| CLEAR | --- |
| STAIN | --- |
| STAIN SCM | --- |
| PAINT | --- |
| PAINT SCM | --- |
| ADD GLAZE OVER | --- |
| PRIMER | --- |
| ANTIQUE COLLECTION | --- |

PAINT & STAIN WITH GLAZE COLOR MATCH VENEER & SHEET GOODS ONLY


- The following colors are paint or stain matches for our most popular glaze matches.
- The matches work well on veneer and sheet goods that may need cut or altered, since glaze is prone to chipping and cracking.
- These colors will give you the same look without the glaze or the hangup.
 - Antique Bone- SCM 3760
 - Biltmore- SCM 3761
 - Smoke- SCM 3759
 - Snow Drift- SCM 3757
 - Colonial Paint with Van Dyke Glaze- SCM 3114
 - Colonial Paint with Pewter Glaze- SCM 3124
 - Frosty White Paint with Pewter Glaze- SCM 3115
 - Porcelain Paint with Van Dyke Glaze- SCM 3121
 - Soft White Paint with Pewter Glaze- SCM 3123
 - Driftwood Stain with Black Glaze- SCM 3138

PAINT & STAIN WITH GLAZE WARRANTY (IF NOT USING ABOVE COLOR MATCHES)

- Meridian Products does not recommend doing paint and glaze or stain and glaze on any veneer or plywood type product if you will be altering (cutting, drilling, etc.).
- Glaze on top of paint or stain in this application is very fragile, and cracking, chipping or peeling should be expected.
- Meridian Products will not warranty veneers or plywood with glaze due to these listed expected results.

VALANCES

- Standard height is 6"
 - Please specify when ordering in non-standard heights.
- Available in the following edge profiles for an additional cost.
 - B2, C2, CH2, E2, GR2, H2, PR2, R2, R3, V2
- Custom valances are available on a time & material basis.
 - Customer must supply pattern or design.
- Double design price and edge charge when valance is longer than 48".
- Available in all species - *see material price sheet on page 6.3*.
- M4M: additional option charge



Roman Arch

- Minimum size: 3" x 10"
- Specify height when ordering




Serpentine

- Minimum size: 2-1/2" x 17"



Scalloped

- Minimum size: 2-3/8" x 11-1/4"



Raised Panel (shown as double panel door)

- Design Cost= Single panel door + material cost + additional
- Design Cost= Double panel door + material cost + additional

When ordering, specify:


- Overall size (W x H)
- Species
- Edge (Lip)
- Panel raise
- Frame bead
- Size of A
- Size of B
- Size of C
- 3" minimum opening for center stile

FLUTES


- Double the price if greater than 48" long

When ordering, please specify the following:

- Full or Partial Flute
 - If partial, specify the distance to start of flute at top and bottom
- Species- *see material price sheet on page 6.3.*
- Width & Height
- Number of flutes
- Flute width: (1/4", 3/8", 1/2", 5/8" or 3/4")
- Distance from edge
- Distance between flutes

**FULL FLUTE**

Design Price: / per flute

**PARTIAL FLUTE**

Design Price: / per flute

TO CALCULATE COSTS OF VALANCES & FLUTES:**Material Price**

Material Price= Total square foot of valance or flute x wood species price = material cost
(*wood species pricing is listed on page 6.3*)

Design Price - Design prices are listed above and on previous page.

(For raised panel valance, please fax in your required measurements for a quote.)

Total Cost

To calculate total cost, add together the following: Material Price + Design Price + Option Price (if any) = Total Cost

RADIUS DOORS & DRAWER FRONTS

- Radius products cannot be rushed or expedited without the approval of Meridian Products.
- All radius orders are quoted before ordering, to ensure accuracy.
- Custom radius door designs are available.
 - Please supply drawings & information to your customer service representative.

Radius Products Pricing and Specifications

- All pricing includes material AND design cost.
- Radius products are made from select grade material.
- Radius is to center of door thickness *unless specified*.
- All radius doors over 40" will be priced through custom design pricing.
- All radius rails are produced using solid wood laminated material.
- 6-1/2" to 7-15/16" - minimum radius *for most radius designs*.

**DESIGN CHARGE FOR CONVEX OR CONCAVE:
 12", 18", 24" RADIUS DOORS AND DRAWER FRONTS (UP TO 40" HIGH)**

| DESIGN | HARD MAPLE, WHITE BIRCH | R. OAK, W. OAK | CHERRY | PAINT GRADE |
|--------------------|-------------------------|----------------|--------|-------------|
| MRP-10 | — | — | — | — |
| NOTCHED | — | — | — | — |
| SLAB DRAWER FRONTS | — | — | — | — |

Door and Drawer Options:

| OPTION | COST |
|---------------------------------|--------------------|
| FINISHING | 5 x sq foot charge |
| 35MM HINGE BORE | per piece |
| M4M EDGE | per piece |
| MULLIONS | per lite |
| NON-STANDARD FRAMING UNDER 6" | per piece |
| NON-STANDARD FRAMING 6" OR OVER | per piece |
| NON-STANDARD RADIUS | additional cost |

DEFINITIONS FOR ORDERING RADIUS PRODUCTS

- Radius: Distance from the center of a circle to its edge. Measured in inches.
 - *Meridian measures radius to the center of a door.*
- Chord: A straight line between two points on a circle.
 - *Measured in inches. (In our order system, the chord is always measured on the face of the cabinet.)*
- Arc: The curved line between two points on a circle.
 - *Measured in inches or degrees.*
- Bow: The distance from the center of the chord to the arc.
 - *Measured in inches.*
- Concave: The face of the door is toward the inside of the circle.
- Convex: The face of the door is toward the outside of the circle.

